



## Reliability Keeps Safety



1. ☐ ☐ ☐ ☐ ☐ ☐
2. ☐ ☐ ☐ ☐
3. ☐ ☐ ☐ ☐ ☐ ☐ ☐
4. ☐ ☐ ☐ ☐ ☐ ☐ ☐
5. ☐ ☐ ☐ ☐ ☐ ☐
6. ☐ ☐ ☐ ☐ ☐ ☐

□□□□□□:

1. □□□□□
2. □□□
3. □□□□□□□□□□
4. □□□□□□□





## COMPANY INFORMATION



- I 100% 100% 100% 100% 100%
- II 100% CNC 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%
- III 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%
- IV 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%
- V 100% GB 100% 100% 100% TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609
- VI 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%



## COMPANY QUALIFICATION





## Partners



|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

**Q:**

A

**Q:**

```
00: 0000000000000000 0000 RKfluid 00000000000000000000000000000000
```

**Q:**

[illegible]

**Q:**

[illegible]

□□: MOQ

00: 00000000 1 00

**Q**

[illegible]

TUV API WRAS CE ISO

□□□DIN□ASME□BS EN□JIS□API□AWWA□□□□

