


RKSfluid®

Proven Technology-Superior Features-Legendary Value





2PC
 API6D
 ISO5211
 CF8 / CF8M / WCB
 150LB
 300LB

RKSfluid
 1
 A105
 WCB
 C5
 WC6
 WC9
 CF8
 CF8M
 316
 API6D
 ASME
 ANSI
 JIS
 DIN
 BS
 GB

Top View

Side View



球阀
工作温度-20℃+180℃
材料WCB / CF8 / CF8M / CF3 / CF3M
连接方式/法兰/螺纹
口径150LB-600LB
压力等级1/2 "12" DN15-DN300



Partners



PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 工厂

II 工厂CNC

III 工厂

IV 工厂

V 工厂GB 工厂TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

6 工厂

Exhibition Photos



Q

A RKSfluid 20 70 R&D