

RKSfluid®

Proven Technology-Superior Features-Legendary Value





2PC
 API6D
 ISO5211
 CF8 / CF8M / WCB
 150LB
 300LB

RKSfluid
 1
 A105
 WCB
 C5
 WC6
 WC9
 CF8
 CF8M
 316
 API6D
 ASME
 ANSI
 JIS
 DIN
 BS
 GB

Top View

Side View



球阀
工作温度-20℃+180℃
材料WCB / CF8 / CF8M / CF3 / CF3M
连接方式/法兰/螺纹
重量150LB-600LB
口径1/2 " 12" DN15-DN300



Partners



PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 工厂占地面积 100,000 平方米

II 拥有 CNC 加工中心 50 余台

III 拥有专业技术人员 500 余人

IV 拥有完善的质量管理体系

V 产品符合 GB、ISO 9001、ADWO-2000、TS、PED、WRC、WRAS、KTW、API 6D、API609

VI 工厂通过了 ISO 9001、ISO 14001、ISO 45001 认证

Exhibition Photos



Q: [Placeholder text]

A: RKSfluid [Placeholder text] 20 [Placeholder text] 70 [Placeholder text] R&D [Placeholder text]