


□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□ / □□□



□□□

□□□□

1. □□□□□□□□

2. □□

3. □□□□□□□□

4. □□□□□□□□□□

5. □□□□□□□□

6. □□□□□□□□


□□□□□□□□

1. □□□□□□□□

2. □□□

3. □□□□□□□□□□

4. □□□□□□□□



FB

dn	l	H2	w	
40	230	139	173	3/8"
50	230	139	173	3/8"
65	290	159	198	3/8"
80	310	179	226	3/8"
100	350	214	265	1/2"
125	400	278	307	1/2"
150	480	333	351	1/2"
200	600	600	436	3/4"
250	700	730	524	1"
300	850	850	606	1"

Highlights

1. dn+2 mm
- 2.
- 3.
4. 100 64
5. FB RB ACD
- 6.
- 6.1 1.1 * PN + 1
- 6.2 1.5 * PN + 1
- 6.3 0.2
7. 1000 Hz
- 8.
- 9.



COMPANY INFORMATION



Advanced CNC Machining Center

Professional Process Cells

china

centration

v GB American Standard Tuv CE ISO 9001 ADWO-2000 TS PED WRC WRA KTW API 6D API609

VI / /

COMPANY FACTORY



01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Q

A RKSfluid 4

Q

A 25

Q Moq

A 1PC

Q

A 100 2

TUV API WRA CE ISO

Standard DIN ASME BS EN JIS API AWWA

Q

A RKSfluid 20 70 R D