





- Wear-resistant, adapt to different working conditions
- Acid and alkali resistance, high porosity, good gas permeability, high dust collection efficiency

- Anti-static, adapt to different working conditions
- Conductive fiber and stainless steel conductive material ensure better antistatic performance



- Adapt to different working conditions
- Suitable for temperatures below 125°C, better resistance to organic solvents, oxidants, inorganic and organic acids

- High temperature resistance, high strength, acid and alkali corrosion resistance, wear resistance, folding resistance, easy cleaning, water and oil proof, anti-static
- Adapts to different temperature zones
- Low price and wide application





- Significant temperature resistance
- Good chemical resistance, adapt to different working conditions
- Low backflush pressure, high elastic de-filtering efficiency

- Withstand high temperature, suitable for high temperature of flue gas
- Suitable for collection by electric dust collector



- High strength, chemical resistance
- Suitable for harsh environments, adapts to different temperature zones

- Good heat resistance, good dust stripping, reduced energy consumption
- Anti-corrosion, better acid and alkali resistance
- No water absorption, no moisture absorption
- High filtration efficiency



- Chemical resistant, filter bag chemically stable, not burn-in
- Dust removal efficiency is up to 99.99%
- Low pressure loss and low cost of consumables
- Suitable for flue gas purification, dust removal, dust control and material recovery



Our Factory



Company Advantages



1. 100% high level ex-factory inspection
2. 10 years quality assurance, repair and replacement
3. API, AWWA, ASME, BS EN, DIN, JIS, TUV, CE, ISO9001, TS, OHSAS, WRAS
4. R&A, D

Exhibition Photos



Our Certificates



Tel: 024 2318 0188-899
 Email/Skype: ivory@rksfluid.com
 Mobile/WhatsApp/Wechat: +86 15140071761
 Add: Pump & Valve Industrial Park, No. 5 Panwu Road,
 Liaozhong Dist. Shenyang, Liaoning P.R. China

□□□□□□

Q1□□□□□□□□□□□□□□□□□□

A1□□□□□□□□□□□□□□□□□□□□

Q2□□□□□□□□□□□□

A2□□□□□□□□□□5-10□□□□□□□□□□□□□□□□□□□□□□15-90□□

Q3□□□□□□□□□□□□□□

A3□T / T 30□□□

Q4□□□□□□MOQ□□□□□□□□□□□□□□□□□□

A4 quality. We 1pc

Q5

A5 100

Q6

A6

Q7

A7 1