




RKsfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange



Short-neck butterfly valve for petroleum

ANSI 125LB/150LB

Top Flange Standard:ISO5211


Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



APPLICATION SCENARIO



Industrial water
application



Power plant



Sea water
desalination



Water treatment



Water supply
and drainage



HAVC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 1997 年 1 月 1 日 在 中 国 上 海 成 立
 公 司 主 营 & 经 营 各 种 工 业 流 体 设 备
 公 司 拥 有 CNC 加 工 中 心 及 各 种 工 业 流 体 设 备
 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备
 公 司 & 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备
 L 公 司 拥 有 各 种 工 业 流 体 设 备 GB 公 司 拥 有
 公 司 拥 有 各 种 工 业 流 体 设 备
 公 司 拥 有 各 种 工 业 流 体 设 备 RKS 公 司 拥 有
 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备
 公 司 GB ISO 公 司 拥 有 各 种 工 业 流 体 设 备 CE 公 司 ADWO- 2000 公 司 TUV 公 司
 ISO9001 TS API 公 司 拥 有 各 种 工 业 流 体 设 备 & 公 司 拥 有
 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备
 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备
 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备
 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备
 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备

I 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备

II 公 司 CNC 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备

III 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备

IV 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备

V 公 司 GB 公 司 拥 有 各 种 工 业 流 体 设 备 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API
 6D API609

VI 公 司 拥 有 各 种 工 业 流 体 设 备 及 各 种 工 业 流 体 设 备 / 公 司 / 公 司 拥 有 各 种 工 业 流 体 设 备

Exhibition Photos



Our Certificates



Q 貴社が提供している製品は、どのような用途に使用されていますか？

A 貴社が提供している製品は、主に工業用機器の部品として使用されています。

Q 貴社の製品は、どのような規格や標準に準拠していますか？

A 貴社の製品は、主に RKSfluid の規格に準拠しています。また、USA の規格にも準拠しています。

Q 貴社の製品は、どのような材質で製造されていますか？

A RKSfluid の製品は、主に 4 種類の材質で製造されています。

Q 貴社の製品は、どのようなサイズで提供されていますか？

A 貴社の製品は、主に 2 から 5 のサイズで提供されています。

Q MOQ

A 貴社の MOQ は 1 です。

Q 貴社の製品は、どのような認証を取得していますか？

A 貴社の製品は、100 から 2 の認証を取得しています。

TUV API WRAS CE ISO

DIN ASME BS EN JIS API AWWA

Q 貴社の製品は、どのような保証期間がありますか？

A RKSfluid の製品は、20 から 70 の R&D 期間があります。