

65	290	159	95	198	3/8"
80	310	179	102	226	3/8"
100	350	214	112	265	1/2"
125	400	278	127	307	1/2"
150	480	333	145	351	1/2"
200	600	600	172	436	3/4"
250	730	730	205	524	1 "
300	850	850	232	606	1"

1.

1. dn2 mm

2.

3.

4. 100 64

5. FB RB ACD

6.

6.1 1.1 * PN 1

6.2 1.5 * PN 1

6.3 0.2

7. 1000Hz

8.

1.

1.

2.

24

24



COMPANY INFORMATION



i

divanced Advanced CNC Machining Center Professional Process Cells

china

centration

v GB American Standard Tuv CE ISO 9001 ADWO-2000 TS PED WRC

WRA KTW API 6D API609

VI / /



COMPANY QUALIFICATION





Partners



□□□□□□

Q

A

Q□□□□□□□□□□□□□□□□

A Hrdraulic RKSfluid USA

Q□□□□□□□□□□□□□□

A RKSfluid 4

Q

[illegible]**Q□Moq**

A 1 PC

Q□□□□□□□□□□

A

TUV API WRA CE ISO

Standard □ DIN □ ASME □ BS EN □ JIS □ API □ AWWA □ □ □ □ □ □

Q

A RKSfluid 2770R D