


RKSfluid®
Proven Technology-Superior Features-Legendary Value





API6D 2PC ISO5211 CF8 / CF8M / WCB 150LB 300LB

1

RKSfluid 1 WCB C5 WC6 WC9 CF8 CF8M 316 API6D ASME ANSI JIS DIN BS GB



球阀

温度-20℃~+180℃

材质WCB / CF8 / CF8M / CF3 / CF3M

连接方式/法兰/螺纹/焊接

压力150LB-600LB

口径1/2"~12" DN15-DN300



Partners



PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



一、项目概况

二、项目背景

三、项目意义

四、项目目标

V、项目标准
GB 50001-2000 TUV CE ISO 9001 ADWO-2000 TS PED WRC WRAS KTW API 6D API609

六、项目内容
1. 项目内容



Q

A 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

Q 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% RKSfluid 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

Q 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A 100% RKSfluid 100% 4 100% 100% 100% 100% 100% 100% 100% 100% 100%

Q 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 2 5 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

Q 100% MOQ

A 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 1 100%

Q 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

TUV 100% API 100% WRAS 100% CE 100% ISO 100% 100% 100% 100% 100%

100% 100% DIN 100% ASME 100% BS EN 100% JIS 100% API 100% AWWA 100% 100% 100% 100%

Q 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

A 100% RKSfluid 100% 20 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 70 100% R&D 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%