


1. 本产品的详细规格书，请参见本产品的详细规格书。
 2. 本产品的详细规格书，请参见本产品的详细规格书。
 3. 本产品的详细规格书，请参见本产品的详细规格书。



1. 本产品的详细规格书，请参见本产品的详细规格书。
 2. 本产品的详细规格书，请参见本产品的详细规格书。
 3. 本产品的详细规格书，请参见本产品的详细规格书。

产品	DN200-DN1800
规格	PN10 PN16 PN25 PN40
材料	碳钢
温度	≤80°C
标准	EN 593 和 EN1074-1/2
重量	EN558 和 13 和 14
应用	适用于 HVAC 系统

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



COMPANY FACTORY



COMPANY INFORMATION



Advanced CNC Machining Center

Advanced CNC Machining Center Professional Process Cells

China

certification

complies with GB, American Standard, Tuv CE, ISO 9001, ADWO-2000, TS, PED, WRC, WRA, KTW, API 6D, API 609

VI

01

21 years of professional
experience

03

Independent research and
development team
28 top senior professional
researchers

05

100% high level ex-factory
inspection

07

2 years quality assurance,
repair and replacement

4 factories

02

2 professional testing
centers

04

High quality imported
materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners





Q

Q□□□□□□□□□□□□□□□□

Q□□□□□□□□□□□□□□

Q□□□□□□□□

QMoq

Q□□□□□□□□□□

A 100 2

TUV API WRA CE ISO

Standard □□ DIN □ ASME □ BS EN □ JIS □ API □ AWWA □ □ □ □ □ □

Q

A RKSfluid 27 70 R D