RKSfluid®
A key Valve in Flow Control
Butterfly Valve
Ball Valve
Gate Valve
Globe Valve
Check Valve
Pipe Fittings

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: DI+ Nylon
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K
Size:DN50-DN1000
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Flange

Short-neck butterfly valve for petroleum

ANSI 125LB/150LB
Top Flange Standard:ISO5211
Size:2"-12"
Body: DI CI
Disc :Stainless Steel
Seat : EPDM, NBR, Viton
Connection:Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size:DN50~DN600
Body:Ductile Iron
Disc:Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: CF8 , CF8M
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB
Disc: CF8 +PTFE, CF8 +PFA
Seat: PTFE
Connection: Wafer, Lug, Flange

APPLICATION SCENARIO

Our Factory

RKS □□□ 1997 □□ □□□□□□□. □□□ □□□□□ □□ □□, □□ □□ □□ □ □□ □□ □□□□□ □□ □□□□□□. □□ □□□□ □□ □□ □□ □□, □□ □□ □, □□□□ □□ □□, □□ □□ □ □□ □□□ □□□□□. □□□ □□□, □□ □ □□ □□□ □□ □□□□□□. □□□□□□□ □□ □□□ □□□ □□□ □□□□□ □□□ □□□ □□□ □□ □□ □□ □□□ □□□ □□ □□ □□ □□ □□ □□ □□□ □□ GB□□□□. □□ □□ □□ □ □□ □□□ □□□□□ □□, □□ □ □□□□□ RKS□ □□□ □ □□ □□□ □□□□ □□. □□ □□□ □□□□. □□□ □□ □□ □□□□ GB □ ISO, □□ □ □□ □□□ □□□ CE □ ADWO-2000, ISO9001, TS, API□ □□ TUV□□ □□□□□□. □□□ □□ : □□, □□ □ □ □□, □□ □□□

□□ □ □□ □□ □□□ □□. □□ □□, □□ □□ □□. □□ □ □□□ : □□ □□, □□, □□□, □□, □□ □□, □□□□ □□□, □□□ □□□, □□ □. □□□□ □□ □□, □□□ □□ □□ □□□□□ "□□ □ □□, □□□ □□ □ □□□□ □□"□ □□□□□ □ □□ □□□□□ □□□□ □□□□□. □□ □□□ □□□ □□ □□□□□!

Exhibition Photos

Our Certificates