




RKSfluid®

A key Valve in Flow Control





Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange



Short-neck butterfly valve for petroleum

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



RKSfluid 1997 年 成立。 公司 位于
 中国， 拥有 先进 的 生产设备。 我们
 采用 CNC 加工 技术， 生产 各种 规格 的 阀门。
 我们的产品 符合 国际标准。 我们 拥有 完善 的 质量管理体系。
 我们 提供 各种 规格 的 阀门， 符合 GB 标准 和 国际标准。

00 00 00 0000 0000. 00 000000 0000
 00 00000 0 00 00 00 0 RKS0 0000 0000 00
 00, 0000, 00000 00 00. 0000 00 00000 00000. 0000 00 0000 00
 COP : CE 0 ADWO-2000 0 TUV0 000 0 GB, ISO, 00 0 00 00,
 ISO9001, TS, API. 0000 00 : 0000, 00 0 000000 00000 0 00,
 00 00 0 0000 00. 00 00, 00 00 00. 0000
 00 : 00 00, 00, 0000, 00, 00 00, 00000 00 0, 0000 0000,
 00 00. 0000 0000, 0000 0000 000000 0000 000000.
 "00 0 00, 0000 00 0 00000 00"0 0000
 00 00 00. 00 0000 0000 00 000000!
 0 00 00 : 00 00 00, 00 0 00 00 00.

□ □ CNC □ □ □ □, □ □ □ □ □, □ □ □ □, □ □ □ □ □ □ □ □ □.

[illegible]

██████████ ██████████ ██████████ (Houston) ██████████ ██████████ ██████████ ██████████.

◆ 認證 : GB, 中國, 中國, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 附件：附件 1，附件 2，附件 3，附件 4，附件 5，附件 6，附件 7 / 附件 8 / 附件 9，附件 10。

Our Certificates



Exhibition Photos

