



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve



PTFE Butterfly Valve



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve



PTFE Butterfly Valve



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



RKS fluid 1997 年 12 月 28 日 成立。 公司 拥有 10 余 年 的 铸 造 经 验， 拥 有 先 进 的 铸 造 工 艺 和 设 备。 公 司 拥 有 CNC 加 工 中 心， 数 控 车 床， 铣 床， 钻 床 等 各 种 加 工 设 备。 公 司 拥 有 完 善 的 质 量 管 理 体 系， 产 品 均 按 照 GB 标 准 进 行 生 产 和 检 测。 公 司 拥 有 完 善 的 售 后 服 务 网 络， 能 够 为 各 类 客 户 提 供 全 方 位 的 服 务。 公 司 拥 有 完 善 的 研 发 实 验 室， 能 够 为 各 类 客 户 提 供 先 进 的 研 发 服 务。 公 司 拥 有 完 善 的 生 产 管 理 体 系， 能 够 为 各 类 客 户 提 供 高 质 量 的 产 品。 公 司 拥 有 完 善 的 售 后 服 务 网 络， 能 够 为 各 类 客 户 提 供 全 方 位 的 服 务。 公 司 拥 有 完 善 的 研 发 实 验 室， 能 够 为 各 类 客 户 提 供 先 进 的 研 发 服 务。 公 司 拥 有 完 善 的 生 产 管 理 体 系， 能 够 为 各 类 客 户 提 供 高 质 量 的 产 品。 公 司 拥 有 完 善 的 售 后 服 务 网 络， 能 够 为 各 类 客 户 提 供 全 方 位 的 服 务。

Our Factory



Exhibition Photos



Our Certificates

