

## DESIGN FEATURES



### ● TECHNICAL REQUIREMENT

- 1.Design standard:BS 5163.
- 2.Face to face:BS 5163.
- 3.Flanges standard:BS EN1092-2:1997 PN16.
- 4.Test standard:BS EN12266-1 Rate B.

### ● FEATURES

- Double flange metal seated gate valve
- Size Range:DN50-DN2000
- Standard-ISO/BS/DIN/AWWA/API
- Tests Standard-BS EN 12266-1
- Body Ring-Bronze/SS420/SS304/SS316
- Body-Ductile Iron /Cast Iron/Stainless Steel /WCB
- Fusion bonded epoxy coating-min 300 microns



**RELATED PRODUCTS**



**SMALL DIAMETER GATE VALVE**  
DN50-DN300,PN10/16/25



**METAL SEATED GATE VALVE**  
DN350-DN600,PN10/16/25



**LARGE DIAMETER METAL SEATED GATE VALVE**  
DN700-DN2000,PN10/16/25

## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



## COMPANY INFORMATION



I 00 00: 00 000 00, 00 0 00 00 00.

II 00 CNC 00 00, 00 00 0, 000 00 00, 00 00 00 0 00.

III 00 00 00 000 00 00 00 00 000000.

VI 00 0000 0000 00000000 00000000.

V 00 00: GB, 00 00, 00 00, Tuv CE, ISO 9001, ADWO-200, TS, PED, WRC WRAS, KTW, API 6D, API609.

00 000: 000000 00, 0 00, 0000 00, 0000 00, 0000 00, 00 00, 00/00/00 000000, 00 00.





01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



## COMPANY QUALIFICATION



## COMPANY EXHIBITION



## Partners



### Delivery



### Payment



□□□□ □□

**Q:** □□□ □□□ □□ □□ □□□□□□?

□: □□ □□, □□, □□, □□, □□ □□□.

**Q:** □□□□□□ □□□ □ □□□? □□ □□ □□□□?

□□: □□□□, □□□□, □□□□, □□□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□□□. □□□□□□ □□□□ □□□□.



**Q:** 00 000 000 000?

**A:** RKSfluid 000 000 00 000 000 0 00 400 000 0000.

**D:** 00 00 00

**A:** 00 000 000 00 2~50 000 000 0000. 000 000 00 00000000.

**D: Moq**

**A:** 00 000 00 1pc.

**Q:** 00 000 000 000?

**A:** 00 0 100% 00 000, 20 00. 00 0000 00 000000.

000 Tuv, Api, Wras, CE, ISO 000 000000.

000 DIN, ASME, BS EN, JIS, API, Awwa 00000.

**Q:** 0000 000 000 0000 000 0 000?

**A:** RKSfluid 2000 000 0000 000 700 000 R&D 00000 00 00, 00 00 0 00 000 00000.