



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange



## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 1997 年 注册。 我们 提供  
 我们， 我们 的 产品 在 全球 范围。 我们  
 提供 各种 规格 的 产品， 我们 的 产品， 我们 的 产品 我们 的 产品。  
 我们 的 产品， 我们 的 产品 在 全球 范围。 我们 的 产品 我们 的 产品  
 我们 的 产品。 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品  
 我们 的 产品， 我们 的 产品 我们 的 产品 GB 我们 的 产品  
 我们 的 产品 我们 的 产品。 我们 的 产品 我们 的 产品  
 我们 的 产品 我们 的 产品 我们 的 产品， RKS 我们 的 产品  
 我们， 我们 的 产品 我们 的 产品 我们 的 产品。 我们 的 产品 我们 的 产品。 我们 的 产品 我们 的 产品  
 我们 的 产品 : GB, ISO, 我们 的 产品 我们 的 产品, CE 我们 的 产品 ADWO-2000 我们 的 产品 TUV 我们 的 产品  
 ISO9001, TS, API. 我们 的 产品 : 我们, 我们 的 产品 我们 的 产品 我们 的 产品  
 我们 的 产品 我们 的 产品 我们 的 产品。 我们 的 产品, 我们 的 产品 我们 的 产品。 我们 的 产品  
 我们 的 产品 : 我们 的 产品, 我们, 我们, 我们, 我们 的 产品, 我们 的 产品, 我们 的 产品,  
 我们 的 产品 : 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品  
 我们 的 产品 "我们 的 产品, 我们 的 产品 我们 的 产品" 我们 的 产品  
 我们 的 产品 我们 的 产品。 我们 的 产品 我们 的 产品 我们 的 产品! RKSfluid 1997 年 注册。  
 我们 的 产品 我们 的 产品  
 我们， 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品。 我们  
 提供 各种 规格 的 产品， 我们 的 产品 我们 的 产品， 我们 的 产品 我们 的 产品。  
 我们 的 产品， 我们 的 产品 在 全球 范围。 我们 的 产品 我们 的 产品  
 我们 的 产品。 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品  
 我们 的 产品， 我们 的 产品 我们 的 产品 GB 我们 的 产品  
 我们 的 产品 我们 的 产品 我们 的 产品。 我们 的 产品 我们 的 产品  
 我们 的 产品 我们 的 产品 我们 的 产品， RKS 我们 的 产品  
 我们， 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品。 我们 的 产品 我们 的 产品。 我们 的 产品 我们 的 产品  
 我们 的 产品 : GB, ISO, 我们 的 产品 我们 的 产品, CE 我们 的 产品 ADWO-2000 我们 的 产品 TUV 我们 的 产品  
 ISO9001, TS, API. 我们 的 产品 : 我们, 我们 的 产品 我们 的 产品 我们 的 产品  
 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品。 我们 的 产品, 我们 的 产品 我们 的 产品。 我们 的 产品  
 我们 的 产品 : 我们 的 产品, 我们, 我们, 我们, 我们 的 产品, 我们 的 产品, 我们 的 产品,  
 我们 的 产品 : 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品 我们 的 产品  
 我们 的 产品 "我们 的 产品, 我们 的 产品 我们 的 产品" 我们 的 产品  
 我们 的 产品 我们 的 产品。 我们 的 产品 我们 的 产品 我们 的 产品!

I 产品认证：CE、ISO 9001、API 6D、API 609。

II 产品认证：CE、ISO 9001、API 6D、API 609。

III 产品认证：CE、ISO 9001、API 6D、API 609。

IV 产品认证：CE、ISO 9001、API 6D、API 609。

Prodotto in Italia : GB, CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 产品认证：CE、ISO 9001、API 6D、API 609。

## Exhibition Photos



# Our Certificates



□□□□ □□

Q : □□□ □□□ □□ □□ □□□□□□?

A : □□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□□ □ □□□□□?

A : □□, □□, □□ □□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□□□. □□□ □□ □□□□□□.

Q : □□□ □□ □□□ □□□□□□?

A : RKSfluid□□ □□□ □□□ □□□ □□□ 4 □□ □□□ □□□□□.

Q : □□ □□ □□

A : □□ □□□ 2 ~ 5 □□ □□□□□□. □□□ □□ □□□ □□□□□.

Q : MOQ

: 1 □ □□ □□.

Q : □□□ □□ □□□?

: 100 % □□ □□□ □□ □□ 2 □ □□. □□□□ □□□□ □□□□□ □□□□□□.

□□□ TUV, API, WRAS, CE, ISO □□□ □□□□□□□.

DIN, ASME, BS EN, JIS, API, AWWA □□□ □□□□□□.

Q : □□□□ □□□ □□□ □□□□ □□ □ □ □□□□□?



A : RKSfluid 20 00 000 000 000 70 0 000 00 00 000000 00 00, 00 00 0 00 0000 000000.