




DESIGN FEATURES



APPLICATION SCENARIO



Industrial water application



Power plant



Petroleum



Nuclear plant



Hydroelectric power



Marine operation



Healing drugs



Refined coal



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



i 0000 00 : 00 00 00, 00 0 00 00 00.

CNC 00 00, 00 00 0, 0000 00 00, 00 00 00 0 00.

■ 00 00 00 000 000 0000000 000 00 00 00.

000 0000 000 0000 00 00 000 0000000.

v 00 00 : GB, 00 00, 00 00, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRA, KTW, API 6D, API609.

Q : 閥の材質はどの程度まで耐腐蝕性がありますか？

A : 閥の材質は、銅、鋳鉄、鋼、ステンレス鋼です。

Q : どのような圧力に耐えますか？

A : 銅、鋳鉄、hydraulic、ステンレス鋼。RKSfluidは、さまざまな圧力に耐えます。銅の圧力は、鋼の圧力の約半分です。

Q : どのサイズがありますか？

A : RKSfluidは、銅のサイズはDN 15からDN 400、鋼のサイズはDN 15からDN 400まであります。

Q : どのサイズがありますか？

A : 銅のサイズはDN 2 ~ DN 5、鋼のサイズはDN 2 ~ DN 500まであります。銅のサイズは、鋼のサイズよりも小さいです。

Q : MOQ

A : 銅のサイズはDN 15からDN 400まであります。

Q : どのサイズがありますか？

A : 銅のサイズはDN 15からDN 400、鋼のサイズはDN 15からDN 400まであります。

TUV, API, WRA, CE, ISO 9001 認証済みです。

銅の規格はDIN, ASME, BS EN, JIS, API, AWWAに準拠しています。

Q : どのサイズがありますか？

A : RKSfluidは、銅のサイズはDN 20からDN 700、鋼のサイズはDN 20からDN 700まであります。R & D部門は、銅のサイズはDN 20からDN 700まであります。