



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve




Pipe Fittings

DESIGN FEATURES

VERSATILE & RANGE

- Up to **27mm** of tolerance, **DN40 ~ DN300** stock reduction
- Allows angular deflection of **+/-5°**
- Covering most common pipe materials



USER FRIENDLY

- **Economical** and **applicable**
- **Easy Operation**


OPTIMAL SEALING

- **Unique gasket** with circumferential ribs sealing on corroded, scored or pitted pipes

DURABLE

- **Anti-corrosion**
- Thickness: Epoxy powder coating of **200-250µm**
- Temperature : Spraying temperature over **200 °C**. Doesn't fade, even wipe with **diethyl ether**

MATERIAL

- Epoxy powder:  , Earth Best!
- Nuts: **DACROMET®** or **GEOMET®** , Earth Best!
- Cast iron: **EN-GJS-500-7**, nodularity over **95%**!



APPLICATION SCENARIO



Industrial water application



Hydroelectric generation



Sewage treatment



Water treatment



Water supply and drainage



Water transport



Pipe network in house



Irrigation



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 100% high level ex-factory inspection.

II CNC processing, precision, accuracy, high quality.

III 100% high level ex-factory inspection, 2 years quality assurance, repair and replacement.

IV High quality imported materials.

V Certifications: GB, ISO 9001, TUV CE, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 圖 冊 : 圖 冊 冊 冊, 冊 冊, 冊 冊 冊, 冊 冊, 冊 冊 冊, 冊 冊 冊, 冊 / 冊 / 冊 冊 冊 冊, 冊 冊.

Exhibition Photos



Our Certificates



冊 冊 冊

Q : 冊 冊 冊 冊 冊 冊 冊 冊 冊 冊 ?

A : 鋼管 鋼, 鋼, 鋼, 鋼, Appllication System.

Q : 鋼管鋼鋼 鋼 鋼 鋼鋼鋼?

A : 鋼管, 鋼管, 鋼管, 鋼管鋼鋼 鋼. RKSfluid 鋼管鋼鋼 鋼 鋼鋼 鋼鋼鋼. 鋼鋼 鋼 鋼鋼 鋼鋼鋼.

Q : 鋼管 鋼 鋼鋼 鋼鋼鋼?

A : RKSfluid鋼鋼 鋼鋼 鋼鋼 鋼 鋼 鋼鋼 4 鋼 鋼鋼 鋼鋼鋼.

Q : 鋼 鋼 鋼

A : 鋼 鋼鋼 2 ~ 5 鋼 鋼 鋼鋼 鋼鋼鋼. 鋼鋼 鋼鋼 鋼 鋼鋼 鋼.

Q : MOQ

A : 鋼 鋼鋼 鋼 1pc.

Q : 鋼 鋼鋼 鋼鋼鋼?

鋼 : 鋼 鋼 100 % 鋼 鋼鋼, 2 鋼 鋼. 鋼鋼 鋼 鋼鋼 鋼鋼鋼鋼.

鋼鋼 TUV, API, WRAS, CE, ISO 鋼鋼 鋼鋼鋼鋼.

鋼鋼 DIN, ASME, BS EN, JIS, API, AWWA鋼 鋼鋼鋼鋼.

Q : 鋼鋼鋼 鋼鋼 鋼鋼鋼 鋼鋼鋼鋼鋼鋼鋼?

A : RKSfluid 鋼鋼 20 鋼 鋼鋼 70 鋼 鋼鋼 R & D 鋼鋼鋼鋼 鋼 鋼, 鋼 鋼 鋼 鋼鋼 鋼鋼鋼鋼.