



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

Product Description



Super Anti-corrosion
Epoxy powder coating **200-250µm**,
baking varnish over **200°C**,
use  material.



Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



Three locking tab for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign bodies** at the stem.



Male guiding system with composite sliding skate reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



Triple seal at the operating stem to ensure tightness with the test of time (2500 cycles).




New male composite sliding skate technology ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

Engineering Projects



Product Category





□ 00 00 : 00 00 00, 00 0 00 00 00.

□ 00 CNC 000 00, 00 00 0, 00 00 00 00, 00 00 00 0 00.

▣ 00 00 00 00 000 0000 00 000 00 00 00.

□ 000 000 0 000 (Houston) 0 00 00 000000.

◆ 00 00 : GB, 00 00, 00 00, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 00 00 : 00 000 00, 0 00, 000 00, 00 00, 000 00, 000 00, 00 / 00 / 00 00000, 00 00.


Four factories



Why choose us



- 2 professional testing centers
- 28 senior professional researchers
- Independent research and development team



- 21 years of professional experience
- 100% high level ex-factory inspection
- 2 years quality assurance, repair and replacement

Exhibition Photos



Our Certificates



□□□□ □□

Q : □□□□ □□□□ □□ □□ □□□□?

A : □□□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□ □ □ □□□□?

A : 鋼管, 鋁管, 銅管, 不銹鋼管 等. RKSfluid 鋼管鋼管 鋼管 鋼管 鋼管. 鋼管 鋼管, 鋼管 鋼管 鋼管.

Q : 鋼管 鋼管 鋼管?

A : RKSfluid 鋼管 鋼管 鋼管 鋼管 4 鋼管 鋼管 鋼管.

Q : 鋼管 鋼管 鋼管

A : 鋼管 鋼管 2 ~ 5 鋼管 (鋼管 鋼管) 鋼管 鋼管. 鋼管 鋼管 鋼管 鋼管 鋼管.

Q : MOQ.

A : 鋼管 鋼管 鋼管 1pc.

Q : 鋼管 鋼管 鋼管?

A : 鋼管 鋼管 100 % 鋼管 鋼管, 2 鋼管 鋼管. 鋼管 鋼管 鋼管.

鋼管 TUV, API, WRAS, CE, ISO 鋼管 鋼管.

鋼管 DIN, ASME, BS EN, JIS, API, AWWA 鋼管.

Q : 鋼管 鋼管 鋼管 鋼管 鋼管 鋼管?

A : RKSfluid 鋼管 20 鋼管 70 鋼管 R & D 鋼管 鋼管, 鋼管 鋼管 鋼管 鋼管 鋼管.