RKSfluid®
A key Valve in Flow Control
Butterfly Valve
Ball Valve
Gate Valve
Globe Valve
Check Valve
Pipe Fittings

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: DI+ Nylon
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K
Size:DN50-DN1000
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Flange

Short-neck butterfly valve for petroleum

ANSI 125LB/150LB
Top Flange Standard:ISO5211
Size:2"-12"
Body: DI CI
Disc :Stainless Steel
Seat : EPDM, NBR, Viton
Connection:Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size:DN50~DN600
Body:Ductile Iron
Disc:Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: CF8 , CF8M
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB
Disc: CF8 +PTFE, CF8 +PFA
Seat: PTFE
Connection: Wafer, Lug, Flange

APPLICATION SCENARIO

Our Factory

RKSfluid□ 1997 □□ □□□□□□□□. □□□ □□□□□ □□ □□□□ □□□□□□.
□□, □□ □□ □□ □ □□ □□ □□. □□
□□□□ CNC □□□ □□, □□ □□ □, □□□□ □□□□□ □□□□□.
□□ □□, □□ □□ □ □□ □□. □□□ □□□□□□ □□ □□□□□□.
□□ □ □□. □□□ □□□ □□□ □□□ □□ □□□ □□□ □□□ □□□
Liaoning □□, □□ □□ □□ □□□ □□ GB□□□ □□□□ □□

□□ □□ □□ □□□ □□□□ □ □□□□□ □□
□□ □□□□ □ □□ □□ □□ □ RKS□ □□□ □□□□ □□
□□, □□□, □□□□ □□ □□. □□□ □□ □□□□ □□□□. □□□ □□ □□□ □□
COVER : CE □ ADWO-2000 □ TUV□ □□ □ GB, ISO, □□ □ □□ □□,
ISO9001, TS, API. □□□ □□ : □□, □□ □ □□□□□ □□□□ □ □□,
□□ □□ □ □□□ □□. □□ □□, □□ □□ □□. □□□
□□ : □□ □□, □□, □□□, □□, □□ □□, □□□□ □□ □, □□□ □□□,
□□□ □□□□ □. □□□ □□□ □□□□□ □□□□ □□□□ □□□□.
"□□ □ □□, □□□ □□ □ □□□□ □□"□ □□□
□□ □□ □□. □□ □□□ □□□ □□ □□□□□!
□ □□ □□ : □□ □□ □□, □□ □ □□ □□ □□.

□ □□ CNC □□□ □□, □□ □□ □, □□ □□, □□ □□ □□ □ □□.

▒ □□ □□ □□ □□ □□□ □□□□ □□ □□□ □□ □□ □□.

□ □□□ □□□ □ □□□ (Houston)□ □□ □□ □□□ □□□□□□.

◈ □□ □□ : GB, □□ □□, □□ □□, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI □□ □□ : □□ □□□ □□, □ □□, □□□ □□, □□ □□, □□□ □□, □□□ □□, □□ / □□ / □□ □□□□□, □□ □ □.

Our Certificates

Exhibition Photos