

Technical drawing of a horizontal cylindrical tank with a hemispherical head. The drawing shows a cross-section of the tank with various dimensions and components labeled. The dimensions are: D (Total Diameter), K (Distance from Centerline to Top Flange), G (Distance from Centerline to Bottom Flange), DN (Internal Diameter), B (Bottom Flange Thickness), L (Length), and H (Total Height). The components are numbered 1 through 8, indicating different parts of the tank structure.

DN40-DN65

DN80-DN150



COMPANY INFORMATION



i 0000 00 : 00 00 00, 00 0 00 00 00.

CNC 00 00, 00 00 0, 0000 00 00, 00 00 00 0 00.

00 00 00 000 000 000000 China "0 00 00 00.

000 0000 000 0000 00 00 000 000000.

v 00 00 : GB, 00 00, 00 00, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 00 0000 : 00 00, 0 00, 000 00, 00 00, 000 00, 000 00, 00 / 00 / 00 00000, 00 00.

COMPANY FACTORY



SHIPPING PACKAGING



01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Delivery



Payment



FAQ

Q : 如何 付款 和 交 貨 時間 ？

A : 請 "電, 傳, 傳, 傳, 傳 傳。

Q : 如何 付款 和 交 貨 時間 ？

A : 電, 傳, hrdraulic, 如何 傳 傳。 rksfluid Actuators 傳 傳 傳 傳。 傳 傳 傳 傳 傳 傳 傳 傳。

Q : "如何 付款 和 交 貨 時間 ？

A : rksfluid 傳 傳 傳 傳 傳 傳 4 傳 傳 傳 傳。

Q : 傳 傳 傳

A : 傳 傳 2 ~ 5 傳 傳 傳 傳。 傳 傳 傳 傳 傳 傳。

Q : MOQ

A : 傳 傳 傳 1pc.

Q : 傳 傳 傳 傳 ？

A : 傳 傳 100% 傳 傳, 2 傳 傳。 傳 傳 傳 傳 傳 傳。

傳 傳 TUV, API, WRA, CE, ISO 傳 傳 傳 傳。

傳 傳 DIN, ASME, BS EN, JIS, API, AWWA 傳 傳。

Q : 如何 付款 和 交 貨 時間 ？

A : rksfluid 20 傳 傳 傳 傳 傳 傳 70 傳 傳 R & D 傳 傳 傳 傳, 傳 傳 傳 傳 傳 傳。