

00	DN200-DN1800
00 00	PN10 PN16 PN25 PN40
	DOD OD O
000 00	80°C 🛮 🗎
00 00	EN 593 🛮 EN1074-1/2
	EN558 [00] 13 [1 [00] 14
00	989, HVAC, 98 989, 98, 989 99, 999, 999, 98 99, 98 99 99 99





APPLICATION SCENARIO

















Industrial water application

Power plant

Sea water desalination

Water treatment

Water supply and drainage

HAVC

Food and drug Water transport










COMPANY INFORMATION




VI 00 0000 0000 000000 0000000.

VI aa aa: aa aa, a aa, aaa aa, aa aa, aaa aa, aaa aa, aa/aa/aa aaaaa, aa aa.

COMPANY FACTORY























COMPANY EXHIBITION

























Partners





































FAQ:

Q: 000 000 00 00 000 00000?

Q: 00 0000 00 000000 000 0 0000?

a: and, and, and, and an analy.

Q: 000 00 000 00000?

O: RKSfluid OOO OOO OOO OOO OOO 400 OOO OOOO.

Q: | | | | | | |

0: 00 000 00 00 $2 \sim 50$ 000 000 000. 000 000 00 000 000 000.

□□: MOQ

A: [] [] [] 1pc.

Q: 00 000 00000?

 $A: \ \ \square \ \ \square \ 100\% \ \ \square \ \ \square\square\square, \ \square \ \ 2\square. \ \ \square\square \ \ \square\square \ \ \square\square\square \ \ \square\square\square\square\square\square\square.$

___ TUV, API, WRAS, CE, ISO ___ _____.

 $\square\square$ DIN, ASME, BS EN, JIS, API, AWWA \square $\square\square$.

Q: 0000 000 000 0000 000 0 000?

A: RKSfluid 2700 000 0000 700 000 R&D 00000 00 00, 00 00 0 00 000 00000.