RKSfluid®

RKSfluid
Proven Technology-Superior Features-Legendary Value

□□	DN32 - DN2400(NPS1 1/4-NPS96)
□□ □□	PN6 - PN10 - PN16(□□□ 150)
□□ □□	-40℃-120℃
□□	□□□ □□ □, □□□□□ □.
□□ □□	NBR, EPDM, □□□□, □□□, □□□
□□	□□□, □□, U-□□, □□ □□□

APPLICATION SCENARIO

COMPANY INFORMATION

I □□□□: □□□□ □□, □□ □ □□□□ □□.

II □□ CNC □□□ □□, □□ □□□□ □, □□□□ □□ □□, □□ □□ □□ □ □□.

III □□□ □□ □□ □□, □□ □□ □□ □□ □□□ □□□□□.

VI □□ □□□□ □□□□ □□□□□□□ □□□□□□□.

V □□ □□: GB, □□ □□, □□ □□, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI □□ □□: □□ □ □□, □ □□, □□□ □□, □□ □□, □□□ □□, □□□ □□, □□/□□/□□ □□□□□, □□ □□.

RKSfluid

RKSfluid

安全生产 人人有责
RKSfluid

RKSfluid

RKSfluid

RKSfluid

01
21 years of professional experience
02
4 factories
03
Independent research and development team
28 top senior professional researchers
04
2 professional testing centers
05
100% high level ex-factory inspection
06
High quality imported materials
07
2 years quality assurance, repair and replacement

COMPANY QUALIFICATION

COMPANY EXHIBITION

□□□□ □□:

Q: □□□ □□□ □□ □□ □□□ □□□□□□**?**
□: □□" □□, □□, □□, □□, □□ □□□.

Q: □□ □□□□ □□ □□□□□□ □□□ □ □□□□**?**
□: □□□, □□□, □□□, □□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□□. □□□ □□ □□□□ □□□□□.

Q: □□□ □□ □□□ □□□□□**?**
□: RKSfluid □□□ □□□ □□ □□□ □□□ □ □□ 4□□ □□□ □□□□.

Q: □□ □□□□
□: □□ □□□ □□□ □□ 2~5□ □□□ □□□ □□□□. □□□ □□□ □□ □□□ □□□ □□□□□.

□□: MOQ
A: □□ □□□ □□ 1pc.

Q: □□ □□□ □□□□□**?**
A: □□ □ 100% □□ □□□, □□ 2□. □□□ □□ □□□ □□□□□□.
□□□ TUV, API, WRAS, CE, ISO □□□ □□□□□.
□□□ DIN, ASME, BS EN, JIS, API, AWWA□ □□□□□.

Q: □□□□ □□□ □□□ □□□□ □□□ □ □□□**?**
A: RKSfluid 20□□ □□□ □□□□ □□□ 70□ □□□ R&D □□□□□ □□ □□, □□ □□ □ □□ □□□ □□□□□.