

## DESIGN FEATURES




### Features



- Use AkzoNobel material.
- Super Anti-corrosion
- Epoxy powder coating 200-250um,
- Baking varnish over 200°C,

NO.		
1	Body	GGG50
2	Dise	GGG40+EPDM
3	Wedge nut	C48600
4	Stem	SS431
5	Bonnet	GT450-10
6	Gasket	EPDM
7	Y-ring	EPDM85-90
8	Fix ring	CuZn21Si3/C69300
9	Thrust bearing	C69300
10	Seal ring	EPDM70
11	O ring	NBR
12	Retainer ring	POM
13	Bushing ring	POM
14	Gland	SS431
15	Dustproof ring	EPDM85
16	Dise core	GGG40
17	Bolt	SS316





Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



**Three locking tab** for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign** bodies at the stem.



**Male guiding system with composite sliding skate** reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



**Triple seal at the operating stem** to ensure tightness with the test of time (2500 cycles).



**New male composite sliding skate technology** ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

## RELATED PRODUCTS

---



## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





## COMPANY FACTORY

---



## COMPANY INFORMATION



i 鋼材 鋼 : 鋼 鋼 鋼, 鋼 鋼 鋼 鋼.

CNC 鋼 鋼, 鋼 鋼 鋼, 鋼鋼鋼 鋼 鋼, 鋼 鋼 鋼 鋼 鋼.

■ 鋼 鋼 鋼 鋼鋼 鋼鋼 鋼鋼鋼鋼 鋼鋼 鋼 鋼 鋼.

鋼鋼 鋼鋼鋼 鋼鋼 鋼鋼鋼 鋼 鋼 鋼鋼 鋼鋼鋼鋼.

v 鋼 鋼 : GB, 鋼 鋼, 鋼 鋼, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRA, KTW, API 6D, API609.

VI 鋼 鋼鋼 : 鋼 鋼, 鋼 鋼, 鋼鋼 鋼, 鋼 鋼, 鋼鋼 鋼, 鋼鋼 鋼, 鋼 / 鋼 / 鋼 鋼鋼鋼, 鋼 鋼.



01

21 years of professional  
experience

03

Independent research and  
development team  
28 top senior professional  
researchers

05

100% high level ex-factory  
inspection

07

2 years quality assurance,  
repair and replacement

4 factories

02

2 professional testing  
centers

04

High quality imported  
materials

06

# COMPANY QUALIFICATION





## COMPANY EXHIBITION



〇〇〇〇 〇〇

**Q :** 〇〇〇 〇〇〇 〇〇 〇〇 〇〇〇〇 〇〇〇〇?

A : 〇〇〇 〇〇, 〇〇, 〇〇, 〇〇, 〇〇 〇〇〇.

**Q :** 〇〇〇〇〇〇 〇〇 〇 〇 〇〇〇〇?

A : 〇〇, 〇〇, hrdraulic, 〇〇〇〇〇 〇〇. RKSfluid 〇〇〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇. 〇〇〇 〇〇〇 〇〇 〇〇 〇〇〇〇 〇 〇〇〇〇.

**Q :** 〇〇 〇〇〇 〇〇〇〇〇?

A : RKSfluid〇〇 〇〇〇 〇〇〇 〇〇 〇 〇〇〇 4 〇〇 〇〇〇 〇〇〇〇.

**Q :** 〇〇 〇〇 〇〇

A : 〇〇 〇〇〇 2 ~ 5 〇〇〇〇 〇〇〇 〇〇〇〇. 〇〇〇 〇〇〇 〇〇 〇〇〇 〇〇.

**Q : MOQ**

A : 〇〇 〇〇〇 〇〇 1pc.

**Q :** 〇〇 〇〇〇 〇〇〇〇〇?

A : 〇〇 〇 100% 〇〇 〇〇〇, 2 〇 〇〇. 〇〇〇〇 〇〇〇〇 〇〇〇〇〇〇.

TUV, API, WRA, CE, ISO 〇〇〇 〇〇〇〇〇.

〇〇〇 DIN, ASME, BS EN, JIS, API, AWWA 〇〇〇〇〇.

**Q :** 〇〇〇〇 〇〇〇 〇〇〇〇 〇〇〇 〇〇 〇 〇 〇〇〇〇?

A : RKSfluid 〇〇〇 20 〇 〇〇〇 70 〇 〇〇〇 R & D 〇〇〇〇〇 〇〇 〇〇, 〇〇 〇〇 〇 〇〇 〇〇〇 〇〇〇〇〇.