



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve




Globe Valve




Check Valve




Pipe Fittings





The composite seat of the RKS valve is formed by permanently gluing an elastomer to a rigid gasket ring. In addition to superior seal integrity, this design makes valve installation easier while reducing high torque and premature failure due to rubber deformation. Modular design simplifies seat replacement and ensures economical maintenance



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



□ □ □ □ : □ □ □ □ □ □, □ □ □ □ □ □ □ □.

□ □ □ □ CNC □ □ □ □ □ □, □ □ □ □ □, □ □ □ □ □ □ □ □, □ □ □ □ □ □ □ □ □.

▣ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □.

□ □ □ □ □ □ □ □ □ □ (Houston) □ □ □ □ □ □ □ □ □ □ □ □.

◆ □ □ □ □ : GB, □ □ □ □, □ □ □ □, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 圖 冊 : 00-000, 0 冊, 000 冊, 00 冊, 000 冊, 000 冊, 00 / 00 / 00 冊冊冊, 00 冊。

Exhibition Photos



Our Certificates



Q : 0000 0000 00 000 000000?

A : 0000 00, 00, 00, 00, 00 0000.

Q : 0000000 00 0 0 00000?

A : 0000, 00, 00, 000000 00. RKSfluid 0000000 00 0000 0000000. 0000 000000, 00 00000 00000000.

Q : 0000 0000 0000000?

A : RKSfluid000 0000 0000 00 0 0000 4 00 0000 000000.

Q : 00 00 00

A : 00000 0000 2 ~ 5 0 (0000 00)0 0000 000000. 0000 0000 00 00 00.

Q : MOQ.

A : 00 0000 00 1pc.

Q : 00 0000 0000000?

A : 00 00 100 % 00 0000, 2 0 00. 00000 00000 00000000.

0000 TUV, API, WRAS, CE, ISO 0000 00000000.

0000 DIN, ASME, BS EN, JIS, API, AWWA0 0000.

Q : 00000 0000 00 000000 00 0 0 000000?

A : RKSfluid 0000 20 0 0000 70 0 R & D 0000000 00 00, 00 00 0 00 0000 00000000.