



- Better sealing effect, prevent leakage
- Easier replace the filter bag, lower operating cost
- Adjustable installation height to meet specific application occasions
- Large effective filtration area and higher filtration efficiency
- Longer filter bag service life
- Reasonable structure, more stable and reliable filtration
- China GB-150, International ASME, CE Pressure Standards



- Filter different chemical **acid** and **alkali** liquids
- No seam, no dead angle, precise specification
- Smooth surface, no groove, no dead angle, easy to clean
- Can withstand **high temperature** and **high pressure**
- High quality, high efficiency, economical & practical



- Suitable for high capacity & large flow filtration
- Provided 3 ~ 24 bags design structure
- Equipped with standard size flange
- Flow from 120 to 960 cubic/hours
- Excellent welding quality, safe and reliable

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



1. 1. 21 years of professional experience, 21 years of professional experience, 21 years of professional experience, 21 years of professional experience, PP, 21 years of professional experience, 21 years of professional experience, 21 years of professional experience, 21 years of professional experience, 21 years of professional experience, 21 years of professional experience.
2. 2. 21 years of professional experience, 21 years of professional experience, 21 years of professional experience, 21 years of professional experience, 10 years of professional experience.
3. 3. API, AWWA, ASME, BS EN, DIN, JIS, TUV, CE, ISO9001, TS, OHSAS, WRAS, 21 years of professional experience.
4. 4. 21 years of professional experience, 21 years of professional experience, 21 years of professional experience, 21 years of professional experience, 21 years of professional experience.

Exhibition Photos



Our Certificates



RKSfluid®

Tel: 024 2318 0188-899

Email/Skype: ivory@rksfluid.com

Mobile/WhatsApp/Wechat: +86 15140071761

Add: Pump & Valve Industrial Park, No. 5 Panwu Road,
Liaozhong Dist. Shenyang, Liaoning P.R. China

□□□□ □□

Q1 : □□□ □□□ □□ □ □□□□?

A1 : □□□ □□, □□, □□□ □□□□□.

Q2 : □□ □□□ □□□□□□?

A2 : □□□ □□ 5-10 □, □□ □□□ 15-90 □ □□□ □□.

Q3 : □□ □□□ □□□□□□?

A3 : T / T 30 % □□, □□□□ □□ □□□ □□ □ □□ □□. □□ □□ □□□.

Q4 : □□□ MOQ□ □□□□□□? □□ □□□ □ □ □□□□?

A4 : 1pc 100% 100% 100%, 100% 100% 100% 100%. 100% 100% 100%.

Q5 : 100% 100% 100% 100% 100% 100%?

A5 : 100%, 100% 100%. 100% 100% 100% 100% 100%.

Q6 : 100% 100% 100% 100% 100% 100% 100%?

A6 : 100%, 100% 100% 100% 100%. 100% 100% 100% 100% 100% 100% 100% 100%.

Q7 : 100% 100% 100% 100% 100% 100%?

A7 : 100% 100% 100%. 100% 100% 100% 100%, 100% 100% 100%.