



## DESIGN FEATURES

### DURABLE

- No-pin connection, 1 pc blow-out proof stem
- DI/CI Nodularity over 95%

### ANTI-CORROSION

- Material: Epoxy powder:  , Earth Best!
- Coating Thickness: 200-250µm
- Spraying temp: over 200°C. Doesn't fade, even wipe with diethyl ether

### QUALITY STANDARD

- 100% quality test, follow DIN, ASTM, JIS, GB/T, ISO, BS EN, API
- ONLY ONE Manufacturer get CE certification up to DN1800
- 2 years warranty. 15000 times On-off test, 30000 times Destructive experiment





## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 设备 : 设备 设备, 设备 设备 设备.

II 设备 CNC 设备 设备, 设备 设备, 设备 设备, 设备 设备 设备 设备.

III 设备 设备 设备 设备, 设备 设备 设备 设备 设备.

IV 设备 设备 设备 设备 设备 设备 设备.

V 设备 : GB, 设备 设备, 设备 设备, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 设备 : 设备 设备 设备, 设备 设备, 设备 设备, 设备 设备, 设备 设备, 设备 / 设备 / 设备 设备, 设备 设备.

## Exhibition Photos



## Our Certificates



Q : 閥門 閥體 閥 閥蓋 閥蓋墊圈?

A : 閥門 閥體, 閥蓋, 閥蓋, 閥蓋, Application System.

Q : 閥門閥體 閥蓋 閥蓋 閥蓋墊圈?

A : 閥門, 閥體, 閥蓋, 閥蓋墊圈 閥蓋. RKSfluid 閥門閥體 閥蓋 閥蓋 閥蓋墊圈. 閥門 閥體 閥蓋 閥蓋墊圈.

Q : 閥門 閥體 閥蓋 閥蓋墊圈?

A : RKSfluid閥門 閥體 閥蓋 閥蓋 閥蓋 4 閥門 閥體 閥蓋.

Q : 閥門 閥體 閥蓋

A : 閥門 閥體 2 ~ 5 閥門 閥體 閥蓋. 閥門 閥體 閥蓋 閥蓋 閥蓋.

Q : MOQ

A : 閥門 閥體 閥蓋 1pc.

Q : 閥門 閥體 閥蓋墊圈?

閥門 : 閥門 閥體 100 % 閥門 閥體, 2 閥門. 閥門 閥體 閥蓋 閥蓋墊圈.

閥門 TUV, API, WRAS, CE, ISO 閥門 閥蓋墊圈.

閥門 DIN, ASME, BS EN, JIS, API, AWWA 閥門 閥蓋墊圈.

Q : 閥門閥體 閥蓋 閥蓋墊圈 閥蓋墊圈?

A : RKSfluid 閥門 20 閥門 閥體 70 閥門 R & D 閥門閥體 閥蓋 閥蓋, 閥門 閥體 閥蓋 閥蓋 閥蓋墊圈.