



1. 2. 3. 4. 5. 6. 7.

1. 2. 3. 4. 5. 6. 7.



- 1. 1. 2. 3. 4. 5. 6.* 7.*



A. Inlet isolation valve B. Strainer C. Solenoid control valve D. Outlet isolation valve

1. 2. 3. 4. 5. 6. 7.

- 1. 2. 3. 4. 5. 6. 7.



COMPANY INFORMATION



I 0000: 0000 00, 00 0 0000 00.

II 00 CNC 000 00, 00 0000 0, 0000 00 00, 00 00 00 0 00.

III 000 00 00 00, 00 00 00 00 0000 000000.

VI 00 0000 0000 00000000 00000000.

V 00 00: GB, 00 00, 00 00, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 00 00: 00-0-00, 0 00, 000 00, 00 00, 000 00, 000 00, 00/00/00 000000, 00 00



COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



□□□□ □□

Q: □□□ □□□ □□ □□ □□□□□?

□: □□" □□, □□, □□, □□, □□ □□□.

Q: □□ □□□□ □□ □□□□□□ □□ □ □□□□?

□: □□□, □□□, □□□, □□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□□□. □□□ □□ □□□□ □□□□□□.

Q: □□□ □□ □□□ □□□□□?

□: RKSfluid □□□ □□□ □□ □□□ □□□ □ □□ 4□□ □□□ □□□□.

Q: □□ □□□□

□: □□ □□□ □□□ □□ 2~5□ □□□ □□□ □□□□□. □□□ □□□ □□ □□□ □□□□□□.

□□: **MOQ**

A: □□ □□□ □□ 1pc.

Q: □□ □□□ □□□□□?

A: □□ □ 100% □□ □□□, □□ 2□. □□□ □□ □□□ □□□□□□.

□□ TUV, API, WRAS, CE, ISO □□ □□□□.

□□ DIN, ASME, BS EN, JIS, API, AWWA □ □□□□.

Q: □□□ □□ □□ □□□ □□ □ □□□?

A: RKSfluid 20□□ □□ □□□ □□ 70□ □□ R&D □□□□ □□ □□, □□ □□ □ □□ □□□□□.