



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



RKS 1997 年 12 月 28 日 注册。 公司 注册 资本 1000 万 元， 实 收 资 本 1000 万 元。 公 司 总 部 设 于 中 国 上 海， 在 中 国 各 大 中 小 城 市 均 有 分 公 司。 公 司 主 营 各 种 工 业 用 阀 门， 如 球 阀、 闸 阀、 蝶阀、 截止 阀、 止 回 阀、 旋 转 阀、 减压 阀、 安全 阀、 疏 水 阀、 调节阀 等。 公 司 产 品 均 按 国 家 标 准 GB 生 产， 并 通 过 了 国 际 标 准 化 组 织 ISO 9001、 ISO 14001、 CE、 ADWO-2000、 ISO9001、 TS、 API 等 标 准 的 认 证。 公 司 产 品 已 经 出 口 到 美 国、 加 拿 大、 德 国、 法 国、 意 大 利、 西 班 牙、 俄 国、 印 度、 巴 西、 智 利、 秘 鲁、 厄 瓜 多 尔、 哥 伦 比 亚、 委 内 瑞 拉、 多 尼 亚、 新 加 坡、 马 来 西 亚、 泰 国、 越 南、 菲 律 宾、 日 本、 韩 国、 澳 洲 等 国 家 和 地 区。 公 司 信 誉 卓 著， 产 品 质 量 可 靠， 交 货 期 短， 服 务 周 到， 是 您 的 最 佳 选 择。

我们拥有专业的销售团队，为您提供专业的售前、售中、售后服务。我们拥有完善的质量管理体系，确保产品质量。我们拥有先进的生产设备，确保产品交货期。我们拥有专业的研发团队，为您提供专业的技术支持。我们拥有完善的市场网络，为您提供专业的售后服务。我们拥有专业的售后服务团队，为您提供专业的售后服务。我们拥有完善的质量管理体系，确保产品质量。我们拥有先进的生产设备，确保产品交货期。我们拥有专业的研发团队，为您提供专业的技术支持。我们拥有完善的市场网络，为您提供专业的售后服务。我们拥有专业的售后服务团队，为您提供专业的售后服务。

Exhibition Photos



Our Certificates

