


RKSfluid®

Proven Technology-Superior Features-Legendary Value





API6D 2PC with ISO5211 (CF8 / CF8M / WCB) 150LB ~ 300LB

API6D 2PC with ISO5211 (CF8 / CF8M / WCB) 150LB ~ 300LB. This valve is designed for high-pressure applications and is available in various materials and sizes. It features a robust construction and a reliable ball mechanism for flow control. The valve is suitable for use in a wide range of industrial environments, including oil and gas, chemical processing, and power generation. The ISO5211 standard ensures compatibility with a variety of actuators and accessories, making it a versatile choice for many applications. The 2-piece design allows for easy installation and maintenance, while the high-pressure rating ensures safe and efficient operation under demanding conditions.

RKSfluid provides a wide range of industrial valves and fittings. Our products are manufactured to the highest standards and are available in a variety of materials and sizes. We offer a comprehensive range of services, including design, manufacturing, and distribution. Our valves are suitable for use in a wide range of industrial environments, including oil and gas, chemical processing, and power generation. We are committed to providing high-quality products and excellent customer service. Our products are available in a variety of materials, including WCB, C5, WC6, WC9, CF8, CF8M, and 316. We also offer a range of standards, including API6D, ASME, ANSI, JIS, DIN, BS, and GB. Our products are designed to meet the needs of a wide range of industrial applications.

Top View



Side View



☐☐ ☐☐☐☐ :
☐☐ ☐☐☐ ☐☐ : -20°C ~ + 180°C
☐☐ ☐☐ : WCB / CF8 / CF8M / CF3 / CF3M
☐☐ ☐☐☐☐ ☐☐ : ☐ / ☐☐ / ☐☐ / ☐☐☐☐ ☐☐
☐☐ ☐☐ : 150LB-600LB
☐☐ ☐☐ : 1/2 " ~ 12"(DN15-DN300)



Partners



PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



I 工厂 : 工厂, 工厂 工厂 工厂 工厂 工厂.

II 工厂 工厂 工厂 工厂, 工厂 工厂, 工厂 工厂, 工厂 工厂 工厂 工厂.

III 工厂 工厂 工厂 工厂 工厂 工厂 工厂 工厂 工厂 工厂.

IV 工厂 工厂 工厂 工厂 工厂 工厂 工厂 工厂.

V 工厂 工厂 : GB, 工厂 工厂, 工厂 工厂, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

工厂, 工厂 工厂 : 工厂 工厂 工厂, 工厂 工厂, 工厂 工厂, 工厂 工厂 工厂, 工厂 工厂, 工厂 工厂, 工厂 / 工厂 / 工厂 工厂, 工厂 工厂.

Exhibition Photos



Our Certificates



□□ □□ □□

Q : □□□ □□□ □□ □□ □□□□ □□□□□?

A : □□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□□ □ □□□□□? □□□ □□□□□□?

A : □□, □□, □□ □□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□□□. □□□ □□ □□□□□□□.

Q : □□□ □□ □□□ □□□□□?

A : RKSfluid□□ 4 □□ □□□ □□□ □□□ □□□ □□ □□□□.

Q : □□ □□ □□

A : □□□□□ □□ □□□ □□ 2 ~ 5 □□ □□□□□□. □□□ □□ □□□

Q : MOQ

A : □□ □□□ 1 PC□□□.

Q : □□□ □□ □□□?

: 100 % □□ □□ □□, 2 □ □□. □□□□ □□□□ □□□□□ □□□□□□.

□□□ TUV, API, WRAS, CE, ISO □□□ □□□□□□□.

□□□ DIN, ASME, BS EN, JIS, API, AWWA□ □□□□□.

Q : 2014 年 12 月 31 日 止 的 業 務 概 況 ？

A : RKSfluid 20 年 來 的 業 務 概 況 70 % 以 上 的 R & D 費 用 均 已 支 出 ， 且 已 經 完 成 了 業 務 概 況 。