



RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

Product Description



Super Anti-corrosion
Epoxy powder coating **200-250µm**,
baking varnish over **200°C**,
use  material.



Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



Three locking tab for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign bodies** at the stem.



Male guiding system with composite sliding skate reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



Triple seal at the operating stem to ensure tightness with the test of time (2500 cycles).



New male composite sliding skate technology ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.



□ □□ □□ : □□ □□ □□, □□ □ □□ □□ □□.

□ □□ CNC □□□ □□, □□ □□ □, □□ □□ □□ □□, □□ □□ □□ □ □□.

□ □□□ □□ □□ □□□ □□ □□ □□ □□□ □□□□□.

☒ □□□ □□□ □ □□□ (Houston) □ □□ □□ □□□ □□□□□□.

◆ □□ □□ : GB, □□ □□, □□ □□, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI □□ □□ : □□ □□□ □□, □ □□, □□□ □□, □□ □□, □□□ □□, □□□ □□, □□ / □□ / □□ □□□□□, □□ □□.

Four factories



Why choose us



- 2 professional testing centers
- 28 senior professional researchers
- Independent research and development team



- 21 years of professional experience
- 100% high level ex-factory inspection
- 2 years quality assurance, repair and replacement

Exhibition Photos



Our Certificates



□□□□ □□

Q : □□□□ □□□□ □□ □□ □□□□?

A : □□□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□ □ □ □□□□?

A : 鋼管, 鋁管, 銅管, 不銹鋼管 等. RKSfluid 鋼管鋼管 鋼管 鋼管 鋼管. 鋼管 鋼管, 鋼管 鋼管.

Q : 鋼管 鋼管 鋼管 鋼管?

A : RKSfluid 鋼管 鋼管 鋼管 鋼管 鋼管 4 鋼管 鋼管 鋼管.

Q : 鋼管 鋼管 鋼管

A : 鋼管 鋼管 2 ~ 5 鋼 (2 ~ 5 鋼) 鋼管. 鋼管 鋼管 鋼管 鋼管 鋼管 鋼管.

Q : MOQ.

A : 鋼管 鋼管 鋼管 1pc.

Q : 鋼管 鋼管 鋼管?

A : 鋼管 鋼管 100 % 鋼管 鋼管, 2 鋼管. 鋼管 鋼管 鋼管.

鋼管 TUV, API, WRAS, CE, ISO 鋼管 鋼管.

鋼管, DIN, ASME, BS EN, JIS, API, AWWA.

Q : 鋼管 鋼管 鋼管 鋼管 鋼管?

A : RKSfluid 鋼管 20 鋼管 70 鋼管 R & D 鋼管 鋼管 鋼管, 鋼管 鋼管 鋼管 鋼管.