


00-00 00 000 00, 00 00 00 00000000. 00 000 00 000 0000 0000 0000 0000 0000 00 0000 0000 0 0000 0000 00000000. 0000 000 00 00000 00000 00 00 (00 00 00)0 0000 00 000000.



00:


0000 00 00 0000, 0000 0000 00 00 00 00
 00000 00 0000 0000 00000000.
 00 00000 00 00 00 000000
 - 00 00000 0000 0000 0000 100000 0000 0000
 - 5 00 00 00 00 0000
 00000 00 0000 CNC 00 000000
 00 00 0000 00 0000 GSK & WIS 0000 0000000000.

- 00 00 00 0000
- 0 0000 : 00 0.5 bar
- 00 1.1xpn+1 bar
- 0 0000 : 1.5xpn+1 0
- 00 00 00 : +/- 0.2 bar

00000 00 0 00000 1000 0/0, 00 00 00 0000 00000000.

00 00, 00 0 00 00 00

WRAS/KTW/NSF/FDA/ACS 000000 00 00 00 0000 00000 00



□□ □□□□ □□

□□ □ □□ □ □□, □□□□ □□ □□ □.

□□ □□

□□ □□ □□□□ □□□□ □□ □□□□, □□ □□ Chanding□ □□□□ □□ □□ □□□□ □□ □ □□□□□.

| | |
|-----------|---|
| □□ | DN40-DN1200 |
| □□□□ □□□□ | □ |
| □□ | 0 °C ~ 70 °C |
| □□ | □□□□ □ □ □□□/□□□□□□□□□□/□□□□□□□□□□□□□□□□□ |

| DN | □ | □□ | H1 | DN | □ | □□ | H1 |
|-----|-----|-----|-----|------|------|------|-----|
| 40 | 230 | 139 | 85 | 250 | 730 | 476 | 205 |
| 50 | 230 | 139 | 85 | 300 | 850 | 526 | 232 |
| 65 | 290 | 159 | 95 | 350 | 980 | 585 | 262 |
| 80 | 310 | 179 | 102 | 400 | 1100 | 624 | 292 |
| 100 | 350 | 214 | 112 | 500 | 1250 | 720 | 360 |
| 125 | 400 | 278 | 127 | 600 | 1450 | 835 | 424 |
| 150 | 480 | 333 | 145 | 800 | 1850 | 1110 | 515 |
| 200 | 600 | 407 | 172 | 1000 | 2250 | 1350 | 630 |



COMPANY INFORMATION



i 0000 00 : 00 00 00, 00 0 00 00 00.

CNC 00 00, 00 00 0, 0000 00 00, 00 00 00 0 00.

0 00 00 00 000 0000 000000 0000 00 00 00.

000 0000 000 0000 00 00 000 000000.

v 认证 : GB, 认证, 认证, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 认证 : 认证, 认证, 认证, 认证, 认证, 认证, 认证 / 认证 / 认证, 认证

COMPANY FACTORY



01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

COMPANY QUALIFICATION



COMPANY EXHIBITION



Partners



Delivery



Payment



□□□□ □□

Q : □□□ □□□ □□ □□ □□□□□□?

A : □□□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□ □ □ □□□□?

A : □□, □□, hrdraulic, □□□□□ □□.RKSfluid □□□□□□ □□ □□□ □□□□□.□□□□ □□□ □□ □□□□ □ □□□□.

Q : 00 000 000000?

A : RKSfluid 00 000 000 00 0 000 4 00 0000 0000.

Q : 00 00 00

A : 00 000 2 ~ 5 0000 000 0000.000 000 00 000 00.

Q : MOQ

A : 00 000 00 1pc.

Q : 00 000 000000?

A : 00 0 100% 00 000, 2 0 00.0000 0000 0000000.

000 TUV, API, WRA, CE, ISO 000 000000.

000 DIN, ASME, BS EN, JIS, API, AWWA 000000.

Q : 0000 000 0000 000 00 0 0000?

A : RKSfluid 000 20 0 000 70 0 000 R & D 000000 00 00, 00 00 0 00 000 000000.