



00 000 000000 1.5 bar 000000.



COMPANY INFORMATION



i 0000 00 : 00 00 00, 00 0 00 00 00.

CNC 00 00, 00 00 0, 0000 00 00, 00 00 00 0 00.

00 00 00 000 000 000000 China "0 00 00 00.

000 0000 000 0000 00 00 000 000000.

v 00 00 : GB, 00 00, 00 00, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 00 0000 : 00 00, 0 00, 000 00, 00 00, 000 00, 000 00, 00 / 00 / 00 00000, 00 00



COMPANY QUALIFICATION





Partners



FAQ

Q : □□□ □□□ □□ □□ □□□ □□□□□?

A: 00 "00, 00, 00, 00, 00 000.

Q : □□□□□□ □□ □ □ □□□□?

A : `xx`, `yy`, `hrdraulic`, `xxxxxx yy`. `RKSfluid` `xxxxxxxx` `yy` `xxxx` `xxxxxx`. `xxxx` `xxxx` `yy` `yy` `xxxxxx` `xx` `xxxxxx`.

Q : "□□□□ □□□ □□□□□?"

□□: RKSfluid □□□ □□□ □□ □ □□□ 4 □□ □□□ □□□□.

Q : □□ □□ □□

A: 2 ~ 5 年程度 程度 程度. 程度 程度 程度 程度 程度.

Q : MOQ

A : 10 100 1000 1pc.

Q : □□ □□□ □□□□□?

A: 100% 100%, 2 100%. 100% 100% 100%.

TUV, API, WRA, CE, ISO

□□□ DIN, ASME, BS EN, JIS, API, AWWA □ □□□□.

Q : □□□□ □□□□ □□□□ □□□□ □□ □ □ □□□□?

□□: RKSfluid 27 □□ □□ 70 □ □□□ R & D □□□□ □□ □□, □□ □□ □ □□ □□□□.