



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings

## Product Description



Super Anti-corrosion  
Epoxy powder coating **200-250µm**,  
baking varnish over **200°C**,  
use  material.



Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



**Three locking tab** for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign bodies** at the stem.



**Male guiding system with composite sliding skate** reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



**Triple seal at the operating stem** to ensure tightness with the test of time (2500 cycles).



**New male composite sliding skate technology** ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.

## Design standard

Design standard	BS EN 1171 ANSI
Flange	GB/T 17241.6-2008、 DIN 2633-1975、 BS EN1902-2
Face to face	GB/T 12221-2005、 ISO 5752-1988、 BS EN558-1(F4、 F5)
Test standard	EN12266

## Specification

Size	DN50-900
Pressure	PN10 PN16 class150
Medium	Water
Temperature	0°C~90°C

# PRODUCT DISPLAY



# SHIPPING PACKAGING



## COMPANY INFORMATION



地址：中国浙江省宁波市北仑区

电话：+86 574 2688 8888，+86 574 2688 8888，+86 574 2688 8888 || 传真：+86 574 2688 8888

III 閘門 閘板 閘軸, 閘門 閘板 閘軸 閘門 閘板 閘軸.

IV 閘門 閘板, 閘門, 閘門閘板 閘門 閘板 閘門 閘板.

V 閘門 閘板 : GB, 閘門 閘板, 閘門 閘板, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 閘門 閘板 : 閘門 閘板 閘板, 閘門 閘板, 閘門 閘板, 閘門 閘板, 閘門 閘板, 閘門 閘板 閘板 / 閘門 / 閘門 閘板 閘板, 閘門 閘板.



# EXHIBITION



# COMPANY INFORMATION



□□□□ □□

Q : □□ □□□□□□ □□, □□ □□ □□ □□□□□?

A : □□ '□□, □□, □□, □□, Application □□□.

Q : □□□ □□□□□□ □□ □ □□□□, □□□ □□□?

A : □□, □□, Hrdraulic, □□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□. □□□ □□□□□ □□ □□□□□□□.

Q : □□□ □□ □□□ □□□□□?

A : RKSfluid□ □□□ □□□□□ □□□ □□ □ □□□ □ □□ □□□□□□□.

Q : □□ □□ □□

A : □□ □□□ 2 ~ 5 □□ □□□ □□□. □□□ □□□ □□□ □□.

Q : MOQ

A : □□ □□□ 1 □.



Q : 閥門 鋼 閥門 閥門嗎?

A : 閥門 鋼 100 % 鋼 閥門, 2 磅 鋼. 閥門 閥門 閥門 閥門嗎.

閥門 TUV, API, WRAS, CE, ISO 閥門 閥門.

閥門 DIN, ASME, BS EN, JIS, API, AWWA 閥門嗎.

Q : 閥門 閥門 閥門 閥門 閥門 鋼 閥 閥門?

A : RKSfluid 閥門 20 磅 閥門 70 磅 閥門 R & D 閥門嗎 閥門 鋼, 閥門 鋼 閥 閥門 閥門嗎.