



# RKSfluid®


A key Valve in Flow Control



Butterfly Valve



Ball Valve




Gate Valve



Globe Valve



Check Valve



Pipe Fittings

## Product Description



Super Anti-corrosion  
Epoxy powder coating **200-250µm**,  
baking varnish over **200°C**,  
use  material.



Free wedge nut, **reduces the stem bending forces** and at the same time enables it to be easily replaced.



The more compact new cap, reduces the water retention areas in order to **reduce the risk of bacterial growth**.



One piece stainless steel stem in for **better resistance to axial load and to with stand higher operating torques**.



**Three locking tab** for bayonet system prevents self-dismantling.



Dust guard integrating three O-ring shape, **prohibiting the introduction of foreign bodies** at the stem.



**Male guiding system with composite sliding skate** reduces the wear of the wedge against the body, allowing a smooth functionality and a longer life time of the valve.



**Triple seal at the operating stem** to ensure tightness with the test of time (2500 cycles).



**New male composite sliding skate technology** ensuring a low operating torque even under high differential pressure and preventing damage or corrosion generated by the friction.



## Four factories



## Why choose us



- 2 professional testing centers
- 28 senior professional researchers
- Independent research and development team



- 21 years of professional experience
- 100% high level ex-factory inspection
- 2 years quality assurance, repair and replacement

## Exhibition Photos



## Our Certificates



□□□□ □□

Q : □□□□ □□□□ □□ □□ □□□□?

A : □□□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□ □ □ □□□□?

A : 鋼製, 鋁製, 銅製, 樹脂製も可能。RKSfluid 標準仕様は鋼製も可能。また樹脂製, 銅製も可能。

Q : 鋼製も樹脂製も可能?

A : RKSfluid標準仕様は鋼製も樹脂製も可能。4 種類も可能。

Q : 鋼製も樹脂製も可能?

A : 鋼製も樹脂製も 2 ~ 5 年 (2 ~ 5 年)も可能。また樹脂製も鋼製も可能。

Q : MOQ.

A : 鋼製も樹脂製も 1pc.

Q : 鋼製も樹脂製も可能?

A : 鋼製も樹脂製も 100 % 可能, 2 年可能。また樹脂製も鋼製も可能。

鋼製 TUV, API, WRAS, CE, ISO 鋼製も可能。

樹脂, DIN, ASME, BS EN, JIS, API, AWWA.

Q : 鋼製も樹脂製も可能?

A : RKSfluid 標準仕様は 20 年可能 70 年可能 R & D 標準仕様も可能, 鋼製も樹脂製も可能。