



IMPERIAL DIMENSIONS:Inches										
Size	L	H1	H2	h	A	B	C	D	d	ISO5211
NPS2	1.69	2.20	5.31	0.47	0.43	2.01	1.08	1.97	0.28	F05
NPS2 1/2	1.81	3.35	5.91	0.47	0.43	2.72	1.99	1.97	0.28	F05
NPS3	1.81	3.74	6.30	0.63	0.55	3.27	2.70	2.76	0.35	F07
NPS4	2.05	4.13	7.09	0.63	0.55	4.06	3.50	2.76	0.35	F07
NPS5	2.20	4.92	7.68	0.63	0.55	5.00	4.49	2.76	0.35	F07
NPS6	2.20	5.71	10.04	0.63	0.55	5.98	5.57	2.76	0.35	F07
NPS8	2.36	6.69	9.45	0.83	0.75	7.99	7.64	4.02	0.47	F10
NPS10	2.68	8.07	11.81	0.94	0.87	10.00	9.65	4.92	0.51	F12
NPS12	3.07	9.84	12.20	1.14	1.06	12.01	11.61	4.92	0.51	F12



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

APPLICATION SCENARIO



Industrial water application



Nuclear plant



Petroleum



Steel



Wastewater treatment



Acid-base



Food



Irrigation



Company Advantages



□ □ □ □ : □ □ □ □ □ □, □ □ □ □ □ □ □ □.

□ □ □ □ CNC □ □ □ □ □ □, □ □ □ □ □ □, □ □ □ □ □ □ □ □, □ □ □ □ □ □ □ □ □ □.

□ □.

☒ □ □ □ □ □ □ □ □ □ □ (Houston) □ □ □ □ □ □ □ □ □ □ □ □ □ □.

◆ □ □ □ □ : GB, □ □ □ □, □ □ □ □, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 圖 冊 : 冊 冊 冊 冊, 冊 冊, 冊 冊 冊, 冊 冊, 冊 冊 冊, 冊 冊 冊, 冊 / 冊 / 冊 冊 冊 冊, 冊 冊.

Exhibition Photos



Our Certificates



冊 冊 冊

Q : 冊 冊 冊 冊 冊 冊 冊 冊 冊 冊 ?

A : 鋼製 鋼, 鋼, 鋼, 鋼, 鋼 鋼製.

Q : 鋼製鋼製 鋼 鋼 鋼製?

A : 鋼製, 鋼, 鋼, 鋼製鋼製 鋼. RKSfluid 鋼製鋼製 鋼 鋼製 鋼製鋼製. 鋼製 鋼製鋼製, 鋼製 鋼製鋼製.

Q : 鋼製 鋼 鋼製 鋼製鋼製?

A : RKSfluid鋼製 鋼製 鋼製 鋼 鋼 鋼製 4 鋼 鋼製 鋼製鋼製.

Q : 鋼 鋼 鋼

A : 鋼製鋼 鋼製 2 ~ 5 鋼 (2 ~ 5 鋼)鋼 鋼製鋼製. 鋼製 鋼製 鋼製 鋼製 鋼 鋼.

Q : MOQ.

A : 鋼 鋼製 鋼 1pc.

Q : 鋼 鋼製 鋼製鋼製?

A : 鋼 鋼 100 % 鋼 鋼製, 2 鋼 鋼. 鋼製鋼 鋼製鋼 鋼製鋼製.

鋼製 TUV, API, WRAS, CE, ISO 鋼製 鋼製鋼製.

鋼製, DIN, ASME, BS EN, JIS, API, AWWA.

Q : 鋼製鋼 鋼製 鋼製鋼 鋼 鋼 鋼製鋼製?

A : RKSfluid 鋼製 20 鋼 鋼製 70 鋼 鋼製 R & D 鋼製鋼製 鋼製 鋼製, 鋼製 鋼製 鋼製 鋼製 鋼製鋼製.