



- **Suitable** for viscous liquid, V-shaped gap, flow stability, not easy to block
- **High-strength** structure, mesh screen without deformation, high safety factor, flexible increase in the number of units
- The outer surface of the filter element is smooth and easy to clean. Automated operation, backwashing consumes less liquid
- Tolerate high-intensity positive and negative pressure
- Precision filtration, accuracy range **25-500** μm
- 304, 316L material, corrosion resistant

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



1. 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼 鋼 鋼, PP 鋼 鋼, 鋼 鋼, 鋼 鋼 鋼 鋼, 鋼 鋼, 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼, 鋼 鋼.
2. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 10 鋼 鋼.
3. API, AWWA, ASME, BS EN, DIN, JIS 鋼 鋼, TUV, CE, ISO9001, TS, OHSAS, WRAS 鋼 鋼 鋼 鋼 鋼 鋼.
4. 鋼 鋼 鋼 鋼 鋼 鋼 R & D 鋼 鋼 鋼 鋼 鋼 - 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼

Exhibition Photos



Our Certificates





RKSfluid®

Tel: 024 2318 0188-899

Email/Skype: ivory@rksfluid.com

Mobile/WhatsApp/Wechat: +86 15140071761

Add: Pump & Valve Industrial Park, No. 5 Panwu Road,
Liaozhong Dist. Shenyang, Liaoning P.R. China

你好 我是

Q1 : 你好 我是 谁 的 客户?

A1 : 你好 我是, 谁, 的 客户.

Q2 : 你好 我是 谁 的 客户?

A2 : 你好 我是 5-10 年, 的 客户 15-90 年 的 客户.

Q3 : 你好 我是 谁 的 客户?

A3 : T / T 30 % 的, 的 客户 的 客户 的 客户 的 客户. 的 客户 的 客户.

Q4 : 你好 MOQ 的 客户? 你好 我是 谁 的 客户?

A4 : 你好 1pc 的 客户 的 客户, 的 客户 的 客户 的 客户. 的 客户 的 客户.

Q5 : 你好 我是 谁 的 客户? 你好 我是 谁 的 客户?

A5 : 的, 100 % 的. 的 客户 的 客户 的 客户.

Q6 : 你好 我是 谁 的 客户 的 客户 的 客户 的 客户?

A6 : 的, 的 客户 的 客户 的 客户. 的 客户 的 客户 的 客户 的 客户 的 客户 的 客户.

Q7 : 你好 我是 谁 的 客户 的 客户?

A7 : 你好 我是 1 的. 的 客户 的 客户 的 客户, 的 客户 的 客户.