



RKSfluid®

A key Valve in Flow Control



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange



Short-neck butterfly valve for petroleum

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



RKS 1997 年 成立。 公司 位于 中国 浙江省 温州市 乐清 市 柳市镇 工业园区。 公司 拥有 先进 的 生产设备 和 技术 人员， 能够 生产 各种 规格 的 工业 阀门 和 管件。 公司 产品 符合 国际 标准 GB 和 ISO， 并 通过 了 CE 和 ADWO-2000, ISO9001, TS, API 等 认证。 公司 产品 广泛应用于 石油、 化工、 电力、 冶金、 船舶 等 行业。 公司 秉承 质量 第一、 服务 至上 的 宗旨， 为客户提供 优质 的 产品和服务。

၀၀ ၀ ၀၀ ၀၀ ၀၀၀ ၀၀. ၀၀ ၀၀, ၀၀ ၀၀ ၀၀. ၀၀ ၀ ၀၀၀ : ၀၀ ၀၀, ၀၀, ၀၀၀, ၀၀, ၀၀ ၀၀, ၀၀၀၀ ၀၀၀,
 ၀၀၀ ၀၀၀, ၀၀ ၀. ၀၀၀၀ ၀၀ ၀၀, ၀၀၀ ၀၀ ၀၀ ၀၀၀၀ "၀၀ ၀ ၀၀, ၀၀၀ ၀၀ ၀ ၀၀၀၀ ၀၀" ၀ ၀၀၀၀၀ ၀
 ၀၀ ၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀၀. ၀၀ ၀၀၀ ၀၀၀ ၀၀ ၀၀၀၀၀!

Exhibition Photos



Our Certificates

