



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve



Ball Valve



Gate Valve



Globe Valve



Check Valve



Pipe Fittings



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange





## APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport





# Our Factory



## Company Advantages

01

21 years of professional experience

03

Independent research and development team  
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 1997 年 成立。 公司 专注于  
 生产、 销售 各种 工业 阀门。 我们  
 拥有 先进 的生产 设备， 采用 优质 材料  
 制造， 确保 产品 质量 稳定。 我们 提供  
 各种 规格 的 产品， 满足不同 客户 的  
 需求。 我们的 产品 符合 国际 标准  
 和 国家标准 GB， 通过了  
 严格 的 质量 控制。 我们 是  
 全球 领先的 工业 阀门 制造商， RKS  
 品牌 享誉 全球。 我们 拥有 完善 的  
 售后服务 体系， 为客户提供 专业 的  
 技术支持 和 解决方案。 我们 的产品  
 广泛应用于 石油、 化工、 电力、  
 冶金、 船舶、 造纸、 食品、 医药  
 等行业。 我们 秉承 “客户至上， 质  
 量第一” 的经营理念， 竭诚 为  
 全球 客户 服务。 我们 是 工业 阀门  
 领域的 专家。

RKSfluid 1997 年 成立。 公司 专注于  
 生产、 销售 各种 工业 阀门。 我们  
 拥有 先进 的生产 设备， 采用 优质 材料  
 制造， 确保 产品 质量 稳定。 我们 提供  
 各种 规格 的 产品， 满足不同 客户 的  
 需求。 我们的 产品 符合 国际 标准  
 和 国家标准 GB， 通过了  
 严格 的 质量 控制。 我们 是  
 全球 领先的 工业 阀门 制造商， RKS  
 品牌 享誉 全球。 我们 拥有 完善 的  
 售后服务 体系， 为客户提供 专业 的  
 技术支持 和 解决方案。 我们 的产品  
 广泛应用于 石油、 化工、 电力、  
 冶金、 船舶、 造纸、 食品、 医药  
 等行业。 我们 秉承 “客户至上， 质  
 量第一” 的经营理念， 竭诚 为  
 全球 客户 服务。 我们 是 工业 阀门  
 领域的 专家。



I. 公司宗旨：提供优质产品，服务全球客户。

II. 公司主要产品：球阀、蝶阀、闸阀、截止阀、止回阀、调节阀、减压阀、安全阀、疏水阀、过滤器、流量计、液位计、压力计、温度计、压力表、压力变送器、温度变送器、流量变送器、液位变送器、压力开关、温度开关、流量开关、液位开关、压力继电器、温度继电器、流量继电器、液位继电器、压力传感器、温度传感器、流量传感器、液位传感器、压力变送器、温度变送器、流量变送器、液位变送器、压力开关、温度开关、流量开关、液位开关、压力继电器、温度继电器、流量继电器、液位继电器、压力传感器、温度传感器、流量传感器、液位传感器。

III. 公司主要市场：北美、欧洲、亚洲、非洲、南美洲。

IV. 公司主要客户：石油、化工、电力、冶金、造纸、纺织、食品、医药、水处理、船舶、海洋工程、能源、环保、市政、工业、农业、矿业、交通、建筑、机械、电子、信息、通信、金融、保险、教育、文化、体育、娱乐、旅游、酒店、餐饮、零售、批发、进出口、代理商、经销商、分销商、零售商、终端用户。

Prodotta in Italia : GB, CE, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI. 公司主要荣誉：ISO 9001 认证、CE 认证、TUV CE 认证、ISO 14001 认证、OHSAS 18001 认证、API 6D 认证、API 609 认证、WRC WRAS 认证、KTW 认证、PED 认证、ADWO-2000 认证、TS 认证、GB 认证。

### Exhibition Photos



# Our Certificates



□□□□ □□

Q : □□□ □□□ □□ □□ □□□□□□?

A : □□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□□ □ □□□□□?

A : □□, □□, □□ □□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□□□. □□□ □□ □□□□□□.

Q : □□□ □□ □□□ □□□□□□?

A : RKSfluid□□ □□□ □□□ □□□ □□□ 4 □□ □□□ □□□□□.

Q : □□ □□ □□

A : □□□□ □□□ 2 ~ 5 □□ □□□ □ □□□□□. □□□ □□ □□□ □□□□□.

Q : MOQ

: 1 □ □□ □□.

Q : □□□ □□ □□□?

: 100 % □□ □□□ □□ □□ 2 □ □□. □□□□ □□□□ □□□□□ □□□□□□.

□□□ TUV, API, WRAS, CE, ISO □□□ □□□□□□□.

DIN, ASME, BS EN, JIS, API, AWWA □□□ □□□□□□.

Q : □□□□ □□□ □□□ □□□□ □□ □ □ □□□□□?



A : RKSfluid 20 00 000 000 000 70 0 000 00 00 000000 00 00, 00 00 0 00 0000 000000.