



U 000000 000 00 000 00

000 DIN / BS EN1092 -1 PN10 / PN16 / , ANSI CLASS125 / CLASS150 00 00000.

00 000 00 00 :

EN558-1 000 20 (000 00)

EN558-1 Sereis 16 (000 0)

DN.	700.	800.	900.	1000.	1200.
000 00 (mm)	165.	190.	203.	216.	254.
000 0 (mm)	229.	241.	241.	300	350.

00 00 :

00 00 : 00 00000 000 000 00 000 00 000 000 00 000000 000000.

000 00	00 00	00 00000 0
00 0	GGG40, DIN 1693.	00 00
	60-40-18, ASTM A536.	
	400-18, BS 2789.	
00 0 (000)	GGG40.3 DIN 1693.	000 00 00, 00 00 00, 00 00 00, 000, 00 00 00
000 00000 00	CF8, ASTM A351.	00, 00, 00
	CF8M, ASTM A351.	

□□	C-CUSN10ZN, DIN 1705 (RG10)	□□ □□□
	C90500, ASTM B584.	
	LG1, BS 1400.	



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06

Our Certificates



□□□□ □□

Q : □□□□ □□□□ □□ □□□ □□□□□?

A : □□□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□ □ □ □□□□?

A : □□□, □□, □□, □□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□□. □□□ □□□□□, □□ □□□□ □□□□□□.

Q : □□□ □□□ □□□□□?

A : RKSfluid□□ □□□ □□□ □□ □ □□□ 4 □□ □□□ □□□□.

Q : □□ □□ □□

A : □□□□ □□□ 2 ~ 5 □ (□□□□ □□)□ □□□ □□□□. □□□□ □□□ □□ □□.

Q : MOQ.

A : □□ □□□ □□ 1pc.

Q : □□ □□□ □□□□□?

A : □□ □□ 100 % □□ □□□, 2 □ □□. □□□□ □□□□ □□□□□□.

□□□ TUV, API, WRAS, CE, ISO □□□ □□□□□□.

□□□ DIN, ASME, BS EN, JIS, API, AWWA□ □□□.

Q : □□□□ □□□ □□ □□□□ □□ □ □ □□□□?

A : RKSfluid 20 70 R & D ,