




RKSfluid®

A key Valve in Flow Control



Butterfly Valve

Ball Valve

Gate Valve


Globe Valve

Check Valve

Pipe Fittings



- As primary sealing, thrust bearing & thrust washer enable reduce torque and prevent seizing
- Saddle lock gasket prevent nut loosening under frequent on-off
- Compact sealing structure, easy maintenance
- Blow-out proof stem



Engineering Projects



Partners



PTFE lined butterfly valve



Resilient seat butterfly valve



Double offset butterfly valve



Triple offset butterfly valve



Ball valve



Pipe fittings

Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



II 鋼材 : 鋼材 鋼材, 鋼材 鋼材 鋼材.

II 鋼材 CNC 鋼材 鋼材, 鋼材 鋼材 鋼材, 鋼材 鋼材, 鋼材 鋼材 鋼材 鋼材.

III 鋼材 鋼材 鋼材 鋼材, 鋼材 鋼材 鋼材 鋼材 鋼材 鋼材.

IV 鋼材 鋼材 鋼材 鋼材 鋼材 鋼材 鋼材 鋼材.

V 鋼材 鋼材 : GB, 鋼材 鋼材, 鋼材 鋼材, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

鋼材, 鋼材 鋼材 : 鋼材 鋼材, 鋼材 鋼材, 鋼材 鋼材, 鋼材 鋼材, 鋼材 鋼材, 鋼材 鋼材, 鋼材 / 鋼材 / 鋼材 鋼材 鋼材, 鋼材 鋼材.

Exhibition Photos



Our Certificates



□□□□ □□

Q : □□□ □□□□ □□ □□□ □□□□□?

A : □□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□ □ □□□□? □ □□?

A : □□, □□, □□, □□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□□. □□□ □□ □□□ □ □□□□.

Q : □□ □□□ □□□□□?

A : RKSfluid□□ □ □□ □□□□□ □□□ □□□ □□ □ □□□□.

Q : □□ □□ □□

A : □□ □□□ □□□□□ □ 2 ~ 5 □ □□ □□□□. □□□ □□□ □□ □□□

Q : MOQ

A : □□ □□□ 1pc□□□.

Q : □□ □□□ □□□□□?

□□ : □□ □□ 100 % □□ □□, 2 □ □□. □□□□ □□□□ □□□□□ □□□□□□.

□□□ TUV, API, WRAS, CE, ISO □□□ □□□□□□.

□ □□□ DIN, ASME, BS EN, JIS, API, AWWA□ □□□□□.

Q : 貴社が どの 製品を 展開する 計画ですか？

A : RKSfluidは 20 年 間の 計画 期間 70 年 間の R & D 計画を 進め、 どの 製品 も 計画 期間内 に 展開 する 予定です。