

https://www.alibaba.com/product-detail/Butterfly-valve-deck-plate-hastelloy-C_160091155990.html?spm=a2747.manage.0.0.516371d27klALG



RKSfluid®
A key Valve in Flow Control

Butterfly Valve Ball Valve Gate Valve Globe Valve Check Valve Pipe Fittings

The image is a promotional graphic for RKSfluid. It features a central logo with a stylized eagle and the text 'RKSfluid®' and 'A key Valve in Flow Control'. Below the logo, six different types of valves and pipe fittings are displayed on a dark background with blue circuit-like patterns. Each item is highlighted with a blue glow and has a corresponding label in a blue box below it: Butterfly Valve, Ball Valve, Gate Valve, Globe Valve, Check Valve, and Pipe Fittings. The background also shows industrial piping and valves in a dimly lit setting.



Resilient seat butterfly valve



Resilient seat butterfly valve



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve



Double flange resilient seat butterfly valve



Short-neck butterfly valve for petroleum

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange



APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



Our Factory



Company Advantages

01

21 years of professional experience

03

Independent research and development team
28 top senior professional researchers

05

100% high level ex-factory inspection

07

2 years quality assurance, repair and replacement

4 factories

02

2 professional testing centers

04

High quality imported materials

06



RKSfluid 1997 年 注册。 公司 注册
 公司, 公司 公司 公司 公司 公司 公司. 公司
 公司 公司 公司 公司 公司, 公司 公司 公司, 公司 公司 公司 公司 公司.
 公司 公司, 公司 公司 公司 公司 公司. 公司 公司 公司 公司 公司.
 公司 公司. 公司 公司 公司 公司 公司 公司 公司 公司 公司 公司 公司
 公司 公司, 公司 公司 公司 公司 公司 GB 公司 公司
 公司 公司 公司 公司 公司. 公司 公司 公司
 公司 公司 公司 公司 公司, RKS 公司 公司
 公司, 公司 公司 公司 公司 公司. 公司 公司 公司. 公司 公司 公司 公司
 公司 公司 : GB, ISO, 公司 公司 公司, CE 公司 ADWO-2000 公司 TUV 公司 公司
 ISO9001, TS, API. 公司 公司 : 公司, 公司 公司 公司 公司 公司
 公司 公司 公司 公司 公司. 公司 公司, 公司 公司 公司. 公司 公司
 公司 : 公司 公司, 公司, 公司, 公司, 公司 公司, 公司 公司,
 Tapping Saddle : 公司 公司 公司 公司 公司 公司 公司 公司 公司 公司.
 公司 "公司 公司 公司, 公司 公司 公司 公司" 公司 公司
 公司 公司 公司. 公司 公司 公司 公司 公司! RKSfluid 1997 年 注册。
 公司 公司 公司
 公司, 公司 公司 公司 公司 公司 公司 公司. 公司
 公司 公司 公司 公司 公司 公司, 公司 公司 公司, 公司 公司 公司 公司 公司.
 公司 公司, 公司 公司 公司 公司 公司. 公司 公司 公司 公司 公司.
 公司 公司. 公司 公司 公司 公司 公司 公司 公司 公司 公司 公司 公司
 公司 公司, 公司 公司 公司 公司 公司 GB 公司 公司
 公司 公司 公司 公司 公司. 公司 公司 公司
 公司 公司 公司 公司 公司, RKS 公司 公司
 公司, 公司 公司 公司 公司 公司. 公司 公司 公司. 公司 公司 公司 公司
 公司 公司 : GB, ISO, 公司 公司 公司, CE 公司 ADWO-2000 公司 TUV 公司 公司
 ISO9001, TS, API. 公司 公司 : 公司, 公司 公司 公司 公司 公司
 公司 公司 公司 公司 公司. 公司 公司, 公司 公司 公司. 公司 公司
 公司 : 公司 公司, 公司, 公司, 公司, 公司 公司, 公司 公司,
 Tapping Saddle : 公司 公司 公司 公司 公司 公司 公司 公司 公司 公司.
 公司 "公司 公司 公司, 公司 公司 公司 公司" 公司 公司
 公司 公司 公司. 公司 公司 公司 公司 公司!

I 产品认证：CE、ISO 9001、API 6D、API 609。

II 产品认证：CE、ISO 9001、API 6D、API 609。

III 产品认证：CE、ISO 9001、API 6D、API 609。

IV 产品认证：CE、ISO 9001、API 6D、API 609。

Prodotto in Italia : GB, CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI 产品认证：CE、ISO 9001、API 6D、API 609。

Exhibition Photos



Our Certificates



□□□□ □□

Q : □□□ □□□ □□ □□ □□□□□□?

A : □□ □□, □□, □□, □□, □□ □□□.

Q : □□□□□□ □□□ □ □□□□?

A : □□, □□, □□ □□□□□ □□. RKSfluid □□□□□□ □□ □□□ □□□□□□. □□□□ □□□□□□.

Q : □□□ □□ □□□ □□□□□?

A : RKSfluid□□ □□□ □□□ □□□ □□□ 4 □□ □□□ □□□□□.

Q : □□ □□ □□

A : □□ □□□ □□□ □□ 2 ~ 5 □ □□ □□ □□□□□□. □□□□ □□□ □□ □□□□□□□□.

Q : MOQ

A : □□ □□□ □□ 1 PC.

Q : □□ □□□ □□□□□?

A : □□□ □□ 100 % □□ □□□, □□ 2 □. □□□□ □□□ □□□ □□□□□□.

□□□ TUV, API, WRAS, CE, ISO □□□ □□□□□□□□.

DIN, ASME, BS EN, JIS, API, AWWA □ □□□□ □□.

Q : □□□□ □□□ □□□□ □□□ □□ □ □ □□□□?

A : RKSfluid 20 20 20 20 70 20 20 20 20 20, 20 20 20 20 20.