

### Introduction













Our Aluminum valve handwheel gearbox, 90 ° slewing drive device is suitable for butterfly valve, ball valve and plug valve and so on. The aluminum alloy material body after static electricity powder coating has an excellent appearance, strong adhesion/mechanical property and anti-corrosion/wear

ISO 5211 Flange Type: F05/ F07/ F09/ F10/ F12/ F14/ F16/ F25

#### **Features**



- ISO 5211 direct mount patterns.
- ◆ Filled with special lubricant before leaving the factory.
- Weatherproof is IP 65.
- ◆ The output torque range: 180-5500NM
- 5 degrees angle adjusting.
- All aluminum shell light and beautiful.

### Application Scenario




























## APPLICATION SCENARIO

















Food and drug









# **Our Factory**





- Independent research and development team

  28 top senior professional researchers
- 100% high level ex-factory inspection
  - 2 years quality assurance, repair and replacement

# **Company Advantages**

4 factories

2 professional testing

centers

High quality imported materials



RKSfluid 1997 0 000000. 000 00000

□ : GB, ISO, □ □ □ □ □, CE □ ADWO- 2000 □ TUV□ □ □,

ISO9001, TS, API. 🖂 🖂 : 🖂, 🖂 🗎 🖂 🖂 🖂 🖂

Tapping Saddles. 0000 00 00 000 0000 000 0000.

"00 0 00, 000 00 0 0000 00"0 000

00 00 00. 00 000 000 00 00000! RKSfluid 1997 00 0000000.

□ : GB, ISO, □ □ □ □ □, CE □ ADWO- 2000 □ TUV□ □ □,

ISO9001, TS, API. [] [] [] : [], [] [] [] [] [] [] [],

Tapping Saddles. 0000 00 00 000 0000 000 0000.

"00 0 00, 000 00 0 0000 00"0 000

 $\hbox{\tt II} \ \square\square \ \hbox{\tt CNC} \ \square\square\square \ \square\square, \ \square\square \ \square\square \ \square, \ \square\square \ \square\square, \ \square\square \ \square\square \ \square\square.$ 

 ${\sf IV}$  00 000 0 0000 00 00 000 000000.

 $V \square \square \square : GB, \square \square \square \square$ , TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

## **Exhibition Photos**



















### 

Q: 000 000 00 00 000 00000? A: 000 00, 00, 00, 00, 00 000.

Q:00000000000000000000000?

Q: 00 000 00000?

 $Q: \square \square \square \square$ 

A:  $0000\ 0000\ 2\sim 5\ 00\ 0\ 000\ 0000$ .  $000\ 000\ 00\ 00$ 

Q: MOQ

A: 00 0000 1pc.

Q: 00 000 00000?

 $\mathsf{A}: \texttt{GOO} \texttt{ GOO} \texttt{ MOO} \texttt{ MOO} \texttt{ MOO} \texttt{ GOO} \texttt{ GOO}$ 

TUV, API, WRAS, CE, ISO TO TOTAL.

DIN, ASME, BS EN, JIS, API, AWWAD DODD.

Q: 0000 000 0000 000 00 0 0 0000?