Pressure reducing valve also know as pressure regulating valve ,pressure maintaining valve. Pressure reducing valve automatically reduces a higher inlet pressure to a steady lower downstream pressure , regardless of changing flow rate and /or varying inlet pressure.



- 1.Main Valve
- 2.Restriction
- 3.Needle Valve
- 4.Pressure Reducing Pilot
- 5.Ball Valve
- 6.Strainer

# **Optional Features:**

1. ball valve

- 2. Pressure Gauge
- 3. Position indicator
- 4. limit Switch

Main Valve -Fully Bore ( FB )					
DN	L	H2	H1	W	Port
40	230	139	85	173	3/8"
50	230	139	85	173	3/8"
65	290	159	95	198	3/8"
80	310	179	102	226	3/8"
100	350	214	112	265	1/2"
125	400	278	127	307	1/2"
150	480	333	145	351	1/2"
200	600	600	172	436	3/4"
250	730	730	205	524	1"
300	850	850	232	606	1?"

# **Hightlights**

- 1. Fully Bore with seat diameter as DN+2 mm
- 2. Stable working even if the flow close to Zero
- 3. High performance and strength Nylon enforce diaphragm
- 4. One Million cycle test and 64 bar burst test
- 5. Fully bore (FB), Reduce bore (RB) and Anti-Cavitation Device(ACD)
- 6. Higher than standard product test,
- 6.1 Seat test : 1.1 \* PN + 1 Bar

- 6.2 Strength test : 1.5 \* PN + 1 Bar
- 6.3 Low pressure sealing test: 0.2 Bar
- 7. Automatic computer test with 1000 Hz Sensor
- 8. Smart control valve and Solution system

# Why choose us

- 1. we provides the most competitive solutions with the most professional technical support, the most comprehensive quality management and the most premium customer service.
- 2.We promise:

Products warranty:24 months.

Response: 24 hours on line with Every Day













# **COMPANY INFORMATION**



I Business area: fluid control products, technology and environmental protection products. I Advanced CNC machining centers, professional process cells, wide-range welding equipment, automatic assembly lines and coating.

 ${\rm I\hspace{-.1em}I}$  China's standard reference unit, to participate in the development of relevant valve industry standards. IV We have set up a research and development center in Houston, Texas, in the United States.

V Product Standard: GB, German Standard, American Standard, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI Main production: butterfly valve, ball valve, gate valve, check valve, globe valves, pipe fittings, manual / pneumatic / electric actuator, valve parts



















# COMPANY EXHIBITION





## **FAQ**

## Q: If I need quotation, what informations do we need?

A: Valves' materials, Temperature, Pressure, Medium, Appllication System.

#### Q: Can you provide actuators, what you have?

A: Pneumatic, Electric, Hrdraulic, Solenoid Valves. RKSfluid actuators adopt USA technology. Which you need, just tell us.

## Q: What's your productive capacity?

A: RKSfluid has four plants that can provide the products you need.

# Q: Production lead time

A: Normal products have stock in  $2\sim5$  working days. Customized base on your need.

#### Q: MOQ

A: 1pc for all products.

### Q: How about the quality assurance?

A: 100% quality test before delivery, 2 years warranty. Ensure your system working safety. We got TUV, API, WRAS, CE, ISO certification. Standard conform to DIN, ASME, BS EN, JIS, API, AWWA.

# Q: How could you provide quality service to our customers?

A: RKSfluid own 20 years experiences and more than 70 R&D engineers provide technical support, model selection and installation guidance for you.