
DESIGN FEATURES




This series of butterfly valves are used for industrial pipelines, as bi-directional open and close and regulation devices, the adjustment range is from 40°C-90°C full open.Suitable temperature≥ 80°C

Features

- Size range DN100-1200mm
- Standard-ISO/BS/DIN/AWWA/API
- Tests Standard-BS EN 12266-1
- Body-Ductile Iron/Cast Iron/Stainless Steel /WCB
- · Body Ring-SS420/SS304/SS316
- · Disc Ring-EPDM
- Shaft-SS420/SS431/SS316
- · Fusion bonded epoxy coating-Min 300 Microns





Size	DN200-DN4000
Pressure Ratings	PN10 PN16 PN25
Material	Ductile Iron
Seat	SS304 / SS316
Stem	Stainless Steel
Sealing Ring	EPDM
Shaft Sleeve	Steel Sleeve
Flanges standard	BS EN1092-2:1997 PN16
Application	Water Treatment, HVAC, Irrigation System, Pumping, Smart Water Control, Power Station, Desalination, Food Industry, Mining, Coal Chemical Industry

APPLICATION SCENARIO

















Industrial water application

Power plant

Sea water desalination

Water treatment

Water supply and drainage

HAVC

Food and drug Water transport









COMPANY FACTORY



COMPANY INFORMATION



I Business area: fluid control products, technology and environmental protection products.

Il Advanced CNC machining centers, professional process cells, wide-range welding equipment, automatic assembly lines and coating.

III China's standard reference unit, to participate in the development of relevant valve industry standards.

IV We have set up a research and development center in Houston, Texas, in the United States.

V Product Standard: GB, German Standard, American Standard, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI Main production: butterfly valve, ball valve, gate valve, check valve, globe valves, pipe fittings, manual / pneumatic / electric actuator, valve parts.























COMPANY EXHIBITION

























Partners





































FAQ:

Q: If I need quotation, what informations do we need?

A: Valves' materials, Temperature, Pressure, Medium, Appllication System.

Q: Can you provide actuators, what you have?

A: Pneumatic, Electric, Hrdraulic, Solenoid Valves. RKSfluid actuators adopt USA technology. Which you need, just tell us.

Q: What's your productive capacity?

A: RKSfluid has four plants that can provide the products you need.

Q: Production lead time

A: Normal products have stock in 2~5 working days. Customized base on your need.

Q: MOQ

A: 1pc for all products.

Q: How about the quality assurance?

A: 100% quality test before delivery, 2 years warranty. Ensure your system working safety. We got TUV, API, WRAS, CE, ISO certification.

Standard conform to DIN, ASME, BS EN, JIS, API, AWWA.

Q: How could you provide quality service to our customers?

A: RKSfluid own 20 years experiences and more than 70 R&D engineers provide technical support, model selection and installation guidance for you.		