
Pressure reducing valve also know as pressure regulating valve, pressure maintaining valve.

Pressure reducing valve automatically reduces a higher inlet pressure to a steady lower downstream pressure, regardless of changing flow rate and /or varying inlet pressure.






#### **Features**

Standard Features

- 1.Main Valve
- 2.Restriction
- 3.Needle Valve
- 4.Pressure Reducing Pilot
- 5.Ball Valve
- 6.Strainer

#### **Optional Features**

- 1. ball valve
- 2. Pressure Gauge
- 3. Position indicator
- 4. limit Switch



#### Main Valve -Fully Bore (FB)

DN	L	Н2	W	Port
40	230	139	173	3/8''
50	230	139	173	3/8''
65	290	159	198	3/8''
80	310	179	226	3/8''
100	350	214	265	1/2''
125	400	278	307	1/2''
150	480	333	351	1/2''
200	600	600	436	3/4''
250	700	730	524	1"
300	850	850	606	1"

#### **Hightlights:**

1. Fully Bore with seat diameter as DN+2  $\,$  mm

2. Stable working even if the flow close to Zero

3. High performance and strength Nylon enforce diaphragm

 $4. \ \mbox{One Million}$  cycle test and  $64 \ \mbox{bar}$ 

burst test

5. Fully bore (FB), Reduce bore (RB) and Anti-Cavitation Device(ACD)

6. Higher than standard product

test,

6.1 Seat test : 1.1 \* PN + 1

Bar

6.2 Strength test : 1.5 \* PN + 1

Bar

6.3 Low pressure sealing test: 0.2

Bar

- 7. Automatic computer test with 1000 Hz Sensor
- 8. Smart control valve and Solution system
- 9. Specialsolution for technical support













# COMPANY INFORMATION



I Business area: fluid control products, technology and environmental protection products.

II Advanced CNC machining centers, professional process cells, wide-range welding equipment, automatic assembly lines and coating.

 ${\rm I\hspace{-.1em}I\hspace{-.1em}I} \ \, \text{China's standard reference unit, to participate in the development of relevant valve industry standards.}$ 

 ${
m I\!V}$  We have set up a research and development center in Houston, Texas, in the United States.

V Product Standard: GB, German Standard, American Standard, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI Main production: butterfly valve, ball valve, gate valve, check valve, globe valves, pipe fittings, manual / pneumatic / electric actuator, valve parts

### **COMPANY FACTORY**























## **COMPANY EXHIBITION**





















#### **FAQ**

#### Q: If I need quotation, what informations do we need?

A: Valves' materials, Temperature, Pressure, Medium, Appllication System.

#### Q: Can you provide actuators, what you have?

A: Pneumatic, Electric, Hrdraulic, Solenoid Valves. RKSfluid actuators adopt USA technology. Which you need, just tell us.

#### Q: What's your productive capacity?

A: RKSfluid has four plants that can provide the products you need.

#### Q: Production lead time

A: Normal products have stock in 2~5 working days. Customized base on your need.

#### Q: MOQ

A: 1pc for all products.

#### Q: How about the quality assurance?

A: 100% quality test before delivery, 2 years warranty. Ensure your system working safety.

We got TUV, API, WRAS, CE, ISO certification.

Standard conform to DIN, ASME, BS EN, JIS, API, AWWA.

#### Q: How could you provide quality service to our customers?

A: RKSfluid own 20 years experiences and more than 70 R&D engineers provide technical support, model selection and installation guidance for you.