




- Wear-resistant, adapt to different working conditions
- Acid and alkali resistance, high porosity, good gas permeability, high dust collection efficiency

- Anti-static, adapt to different working conditions
- Conductive fiber and stainless steel conductive material ensure better antistatic performance





- Adapt to different working conditions
- Suitable for temperatures below 125°C, better resistance to organic solvents, oxidants, inorganic and organic acids
- High temperature resistance, high strength, acid and alkali corrosion resistance, wear resistance, folding resistance, easy cleaning, water and oil proof, anti-static
- Adapts to different temperature zones
- Low price and wide application





- Significant temperature resistance
- Good chemical resistance, adapt to different working conditions
- Low backflush pressure, high elastic de-filtering efficiency
- Withstand high temperature, suitable for high temperature of flue gas
- Suitable for collection by electric dust collector






- High strength, chemical resistance
- Suitable for harsh environments, adapts to different temperature zones

- Good heat resistance, good dust stripping, reduced energy consumption
- Anti-corrosion, better acid and alkali resistance
- No water absorption, no moisture absorption
- High filtration efficiency





- Chemical resistant, filter bag chemically stable, not burn-in
- Dust removal efficiency is up to 99.99%
- Low pressure loss and low cost of consumables
- Suitable for flue gas purification, dust removal, dust control and material recovery







- 1. Mainly products Bag Filter, Cartridge Filter, Self-cleaning Filter, Modular Self-cleaning Filter, PP Filter, Filter bag, Filter Element, Filter Material, sea water desalination, Portable desalination system, Candle Filter.
- 2. More than ten years of experience in filter production and development, with a number of industry invention patents.
- 3. Supply API,AWWA,ASME,BS EN,DIN,JIS standard,TUV,CE,ISO9001,TS,OHSAS,WRAS certificated.
- 4. According to the actual working condition, professional R & D team can provide the solution of solid-liquid separation of the filter

Exhibition Photos



FAO

Q1: How could we get quotation?

A1: Normal provide us medium, temp., pressure.

Q2: How long is the delivery time?

A2: Simple filter 5-10 days, design filter 15-90 days on different request.

Q3: What about the payment term?

A3: T/T 30% deposit, balance payment after finished production before shipment. Or as discussed.

Q4: What's your MOQ? Can I have a sample order?

A4: We can support 1pc order, welcome to check our quality. We accept sample order.

Q5: What's your quality inspection? Do you test all your goods before delivery?

A5: Yes, 100% test. The equipment will be debugged before leaving the factory.

Q6: Could I customize special request like material and parts?

A6: Sure, provide your request list, our engineers will change the system as you need, to ensure the filtration work excellent

Q7: How do you provide after-sales service and installation?

A7: Warranty 1 years. We provide filed installation, please contact us for quotation.