

DESIGN FEATURES

HIGHLY CUSTOMIZABLE

According to customer requirements

OPTIMAL SEALING

- AWWA-C219 absolutely leakproof
- Internal ebonite rubber lining

CLASSIC & STURDY DESIGN

- Longitudinal adjustment of +/- 25mm
- Super large Dia & Even pressures up to 100 bar
- Cost-effective, alternative for duplex stainless steel on desalination application

APPLICATION

- Perfect solution for all standard and nonstandard applications in challenging famous projects worldwide
- Desalination, water pipes and various application

DURABLE

- ANTI-CORROSION
- Thickness: Epoxy powder coating of 150-200µm
- Temperature : Spraying temperature over
- 200 °C. Doesn't fade, even wipe with diethyl ether

MATERIAL

• Epoxy powder:

and and a second s

- AkzoNobel , Earth Best!
- WRAS, KTW-W270, ACS approved materials
- Cast iron: nodularity over 95%!
- Bolts, nuts & washers: Hot Dip Galvanized or Stainless Steel AISI316-A4



APPLICATION SCENARIO













Our Factory



21 years of professional experience

D3

0

Independent research and development team 28 top senior professional researchers

100% high level ex-factory inspection

2 years quality assurance, repair and replacement

Company Advantages

4 factories

2 professional testing centers 04

06

50

High quality imported materials



I Business area: fluid control products, technology and environmental protection products.

Il Advanced CNC machining centers, professional process cells, welding equipment, automatic assembly lines and coating.

III Chinese standard reference unit, to participate in the development of relevant valve industry standards.

IV We have set up a research and development center in Houston, Texas, in the United States.

V Product standard: GB, German standard, American standard, TUV CE, ISO 9001, ADWO-2000, TS, PED, WRC WRAS, KTW, API 6D, API609.

VI Main production: butterfly valve, ball valve, gate valve, non-return valve, globe valves, tube accessories, manual / pneumatic / electric actuator, valve parts.

Exhibition Photos



FAQ

- Q: If I need a quote, what information do we need?
- A: valve materials, temperature, pressure, medium, application system.
- Q: Can you supply actuators, what do you have?

A: Pneumatic, electric, hydraulic solenoid valves. RKSfluid actuators adopt US technology. What you need, just tell us.

- Q: What is your production capacity?
- A: RKSfluid has four plants that can supply the products you need.
- Q: production lead time

A: Normal products are available in 2 \sim 5 working days. Custom base for your needs.

Q: MOQ

A: 1 pc for all products.

Q: How about quality assurance?

A: 100% quality test before delivery, 2 years warranty. Ensure the operational safety of the system.

We have obtained TUV, API, WRAS, CE, ISO certification.

Standard compliant with DIN, ASME, BS EN, JIS, API, AWWA.

Q: How can we provide quality service to our customers?

A: RKSfluid has 20 years of experience and over 70 R&D engineers provide technical support, model selection and installation guide.