Pressure reducing valve also know as pressure regulating valve, pressure maintaining valve. Pressure reducing valve automatically reduces a higher inlet pressure to a steady lower downstream pressure , regardless of changing flow rate and /or varying inlet pressure.




Features

- Standard Features
- 1.Main Valve
- 2.Restriction
- 3.Needle Valve
- 4. Pressure Reducing Pilot
- 5.Ball Valve
- 6. Strainer

Optional Features

- 1. ball valve
- 2. Pressure Gauge
- 3. Position indicator
- 4. limit Switch



A. Shutoff valve B. Strainer C. PRV D. Shutoff valve

DN	L	H2	W	Port
40	230	139	173	3/8''
50	230	139	173	3/8''
65	290	159	198	3/8''
80	310	179	226	3/8''
100	350	214	265	1/2''
125	400	278	307	1/2''
150	480	333	351	1/2''
200	600	600	436	3/4''
250	700	730	524	1''
300	850	850	606	1''

Main Valve -Fully Bore (FB)

Hightlights:

mm

Bar

Bar

Bar

1. Fully Bore with seat diameter as DN+22. Stable working even if the flow close to Zero 3. High performance and strength Nylon enforce diaphragm 4. One Million cycle test and 64 bar burst test 5. Fully bore (FB), Reduce bore (RB) and Anti-Cavitation Device(ACD) 6. Higher than standard product test, 6.1 Seat test : 1.1 * PN + 1 6.2 Strength test : 1.5 * PN + 16.3 Low pressure sealing test: 0.2 7. Automatic computer test with 1000 Hz

Sensor

- 8. Smart control valve and Solution system
- 9. Specialsolution for technical support



COMPANY INFORMATION



I Business area: fluid control products, technology and environmental protection products. II Advanced CNC machining centers, professional process cells, wide-range welding equipment, automatic assembly lines and coating.

■ China's standard reference unit, to participate in the development of relevant valve industry standards.IV We have set up a research and development center in Houston, Texas, in the United States.

V Product Standard: GB, German Standard, American Standard, TUV CE, ISO 9001, ADWO-2000, TS,

PED, WRC WRAS, KTW, API 6D, API609.

VI Main production: butterfly valve, ball valve, gate valve, check valve, globe valves, pipe fittings, manual / pneumatic / electric actuator, valve parts

COMPANY FACTORY



21 years of professional / experience

ED

O)

Independent research and development team 28 top senior professional researchers

05

07

100% high level ex-factory inspection

2 years quality assurance, repair and replacement

4 factories

50

06

2 professional testing centers

High quality imported materials

COMPANY QUALIFICATION



COMPANY EXHIBITION





FAQ

Q: If I need quotation, what informations do we need?

A: Valves' materials, Temperature, Pressure, Medium, Appllication System.

Q: Can you provide actuators, what you have?

A: Pneumatic, Electric, Hrdraulic, Solenoid Valves. RKSfluid actuators adopt USA technology. Which you need, just tell us.

Q: What's your productive capacity?

A: RKSfluid has four plants that can provide the products you need.

Q: Production lead time

A: Normal products have stock in 2~5 working days. Customized base on your need.

Q: MOQ

A: 1pc for all products.

Q: How about the quality assurance?

A: 100% quality test before delivery, 2 years warranty. Ensure your system working safety.

We got TUV, API, WRAS, CE, ISO certification.

Standard conform to DIN, ASME, BS EN, JIS, API, AWWA.

Q: How could you provide quality service to our customers?

A: RKSfluid own 27 years experiences and more than 70 R&D engineers provide technical support, model selection and installation guidance for you.