



# RKSfluid®

A key Valve in Flow Control



Butterfly Valve

Ball Valve

Gate Valve

Globe Valve

Check Valve

Pipe Fittings



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: DI+ Nylon

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K

Size:DN25-DN2400

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Wafer, Lug, Flange



Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K

Size:DN50-DN1000

Body:DI CI

Disc: Stainless steel

Seat :EPDM, NBR, Viton

Connection: Flange



Short-neck butterfly valve for petroleum

ANSI 125LB/150LB

Top Flange Standard:ISO5211

Size:2"-12"

Body: DI CI

Disc :Stainless Steel

Seat : EPDM, NBR, Viton

Connection:Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: Ductile Iron+PTFE

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB, CF8, CF8M

Disc: CF8+PTFE, CF8M+PTFE

Seat: PTFE

Connection: Wafer, Lug



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: Ductile Iron

Disc: CF8, CF8M

Seat: PTFE

Connection: Wafer, Lug, Flange



PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129

Size: DN50~DN600

Body: WCB

Disc: CF8 +PTFE, CF8 +PFA

Seat: PTFE

Connection: Wafer, Lug, Flange

# APPLICATION SCENARIO



Industrial water application



Power plant



Sea water desalination



Water treatment



Water supply and drainage



HAVC



Food and drug



Water transport



fluido RKS foi fundada em 1997. Somos uma oficina de produção tanto para fundição e usinagem, centro de pesquisa e desenvolvimento, e um centro de inspeção de qualidade. As instalações de produção incluem centros de usinagem CNC, células de processamento profissionais, amplo espectro de equipamento de soldadura, montagem automática e linhas de revestimento. Nós construímos uma equipe de design, pesquisa e desenvolvimento. Nosso novo centro de testes como um serviço público centro de testes de plataforma na província de Liaoning, Torne-se a GB padrão da unidade de referência da válvula chinês, para participar no desenvolvimento dos padrões da indústria válvula relevantes. A fim de acelerar a expansão da integração de negócios e recursos no exterior, e para apoiar o sucesso de vendas de fluidos RKS nos EUA, Alemanha, Rússia. Temos US Agent. Nossos padrões de design de produto cobrir: GB, ISO, alemão e American Standard, aprovado pela TUV para CE e ADWO- 2000, ISO9001, TS, API. Nossos produtos: Manual, pneumáticamente e válvulas de esfera accionados electricamente, válvulas de borboleta e Válvulas. Válvulas de retenção, válvulas de controle automático. Castings e Conexões: corpos de válvulas, capotas, discos, caules, caixa de engrenagens, Universal Acoplamentos Adaptadores de Flange, Tapping Saddles. After anos de desenvolvimento, continuamos a melhorar e buscar a inovação ao aderir ao "Tecnologia comprovada, Superior Características e Valor Legendary "como nossa filosofia de valor do produto. A satisfação do cliente é a nossa meta de trabalho!

# Our Factory



## Exhibition Photos



# Our Certificates

