RKSfluid®
A key Valve in Flow Control
Butterfly Valve
Ball Valve
Gate Valve
Globe Valve
Check Valve
Pipe Fittings

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: DI+ Nylon
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K
Size:DN50-DN1000
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Flange

Short-neck butterfly valve for petroleum

ANSI 125LB/150LB
Top Flange Standard:ISO5211
Size:2"-12"
Body: DI CI
Disc :Stainless Steel
Seat : EPDM, NBR, Viton
Connection:Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size:DN50~DN600
Body:Ductile Iron
Disc:Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: CF8 , CF8M
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB
Disc: CF8 +PTFE, CF8 +PFA
Seat: PTFE
Connection: Wafer, Lug, Flange

APPLICATION SCENARIO

Our Factory

RKS жидкость была основана в 1997 году Мы являемся производственной лаборатории как для литейного производства и механической обработки, исследования и & центр развития и контроля качества центра. Производственные мощности включают в себя числовые контрольные работы центров, профессиональные клетки обработки, широкий спектр сварочного оборудования, автоматической сборки и нанесения покрытий.

Мы создали команду для проектирования, исследования и разработки и. Наш новый испытательный центр в качестве испытательного центра для платформ общественного обслуживания в провинции Ляонин становится стандартной базой данных китайского эталонного блока клапанов для участия в разработке соответствующих отраслевых стандартов для клапанов. Для того, чтобы ускорить расширение бизнеса за рубежом и интеграции ресурсов и поддержки успеха жидкости продаж RKS в Соединенных Штатах, Германии и России. У нас есть американский агент. Наши стандарты проектирования изделий включают в себя: стандарты GB, ISO, немецкие и американские, одобренные TUV для CE и ADWO-2000, ISO9001, TS, API. Наша продукция: ручной, пневматический и & шаровые краны, поворотные дисковые затворы и с электрическим приводом задвижки. Обратные клапаны, автоматические клапаны управления. Отливки и фитинги: корпуса клапанов, колпаки, диски, штоки, редуктор, универсальные шарниры, фланцевые переходники, крышки седел. После нескольких лет развития, мы продолжаем совершенствовать и искать инновации, придерживаясь «Проверенная технологии, превосходные характеристики и легендарном значение», как наша философия ценности продукта. Удовлетворение клиента наша цель бизнеса!

Exhibition Photos

Our Certificates