RKSfluid®
A key Valve in Flow Control
Butterfly Valve
Ball Valve
Gate Valve
Globe Valve
Check Valve
Pipe Fittings

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: DI+ Nylon
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB,5K/10K
Size:DN25-DN2400
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Wafer, Lug, Flange

Double flange resilient seat butterfly valve

PN10/PN16, ANSI 125LB/150LB, 5K/10K
Size:DN50-DN1000
Body:DI CI
Disc: Stainless steel
Seat :EPDM, NBR, Viton
Connection: Flange

Short-neck butterfly valve for petroleum

ANSI 125LB/150LB
Top Flange Standard:ISO5211
Size:2"-12"
Body: DI CI
Disc :Stainless Steel
Seat : EPDM, NBR, Viton
Connection:Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size:DN50~DN600
Body:Ductile Iron
Disc:Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: Ductile Iron+PTFE
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB, CF8, CF8M
Disc: CF8+PTFE, CF8M+PTFE
Seat: PTFE
Connection: Wafer, Lug

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: Ductile Iron
Disc: CF8 , CF8M
Seat: PTFE
Connection: Wafer, Lug, Flange

PTFE Butterfly Valve

BSEN 1092, DIN 2501, ANSI, JIS, AS2129
Size: DN50~DN600
Body: WCB
Disc: CF8 +PTFE, CF8 +PFA
Seat: PTFE
Connection: Wafer, Lug, Flange

APPLICATION SCENARIO

RKS жидкость была основана в 1997 году Мы производственный цех и для литейного производства и обработки, исследования и разработки центра и центра осмотра качества. Производственные мощности включают в себя обрабатывающие центры с ЧПУ, профессиональные клетки обработки, широкий спектр сварочного оборудования, автоматической сборки и нанесения покрытий. Мы создали команду для проектирования, исследования и разработки. Наш новый центр тестирования в качестве государственной службы тестирование платформы центра в провинции Ляонин, стал стандартом GB китайского опорного блока клапанов, участвовать в разработке соответствующих клапанов промышленных стандартов. Для того, чтобы ускорить расширение бизнеса за рубежом и ресурсы интеграции, а также для поддержки успеха RKS жидкости продаж в США, Германии, России. У нас есть агент США. Наши стандарты проектирования продукта покрытия: GB, ISO, немецкий и американский стандарт, утвержденный TUV для CE и ADWO- 2000, ISO9001, TS, API. Наша продукция: ручной, пневмоприводом и электроприводом шаровые краны, поворотные затворы и задвижки. Обратные клапаны, автоматические клапаны управления. Отливки и фитинги: клапаны, Бонеты, диски, Стебли, Коробка передач, Универсальные муфты, фланцевые переходники, выстукивая Saddles.After лет развития, мы продолжаем совершенствовать и искать инновации, придерживаясь «Проверенной технологии, превосходные характеристики и Legendary Value "как наша философия ценности продукта. Удовлетворение клиента наша рабочая цель!

Our Factory

Exhibition Photos

Our Certificates